


THERE'S MORE GREAT BOATING IN EVERY ACHILLES


nflatable boats make boating easier, Achilles inflatables make it better. An inflatable eliminates the expense and problems of owning, maintaining, storing and transporting a rigid hull boat. The design, features and durability of Achilles boats allow more in-the-water options no matter what your reason for owning a boat. With an Achilles, your practical dinghy is also a fun runabout; your roomy tender an exciting ski boat; your highperformance sportboat a functional fishing or dive boat.

Achilles boats add more fun and functions to your boating experience because they are the best built inflatables in the world. Serious boaters know this. People who really depend on an inflatable for safety, comfort and reliability choose Achilles because they know Achilles quality has been proven second to none. Other manufacturers have compromised quality in recent years in order to produce less expensive boats which will appeal to the growing number of casual boaters discovering the advantages of inflatables. Achilles, however, has never compromised on its commitment to quality and safety which has made it a favorite among sailors, divers, and others who really know inflatables.

Safety, durability, performance—the things that Achilles is famous for are the same things anyone interested in boating should consider when choosing an inflatable. Because you don't want to compromise any of them out on the water.







MORE SAFETY

Safety should be the first concern of any boater, whether you're out on the water every day or once a year. You won't find a safer inflatable than Achilles. While other manufacturers look to find ways to cut back on features in order to produce a cheaper, mass appeal boat, Achilles continues to add to its impressive list of safety features. Although costly and time consuming, Achilles still reinforces seams inside and out and builds multiple air chambers into every boat Larger buoyancy tubes insure a more boat. Safety handles, seats, oar-lock system, inflatable keels—every Achilles boat offers a range of features designed to make them safer and more comfortable. And unlike some other manufacturers, this is true for all Achilles boats, not just the most expensive models.

BETTER FABRIC

Achilles boats are made with Hypalonreinforced fabric. Made by DuPont, Hypalon is the proven, single best agent for resisting damage to inflatable boats. And Achilles boats are the top-selling Hypalon inflatables. With all the claims made about various inflatable boat fabrics, it's important to remember that there are really only two basic types of fabrics among the most popular inflatable boats—Hypalon-based and PVC-based. More and more manufacturers are turning to PVC since it is a less expensive alternative. But Hypalon is proven better for resisting damage from abrasions, oil, gasoline, warm salt water or ultraviolet rays. This is why Achilles continues to use Hypalon in all its boats, and not just its most expensive models as another leading manufacturer does.

SUPERIOR PERFORMANCE

In the end, you need a boat that performs. Out on the water your boat must respond to your demands in order to make your boating experience as pleasurable or functional as possible. Achilles boats provide a level of performance far superior to what many expect from an inflatable. That's because every year Achilles continues to refine boat designs and add new features. The Achilles commitment to quality includes investing time and money into ongoing research. The result is a full line of inflatable boats with superior performance features to meet any need; sportboats that handle and maneuver superbly; utility boats able to carry heavy loads; dive boats with outstanding stability and room that still move quickly across the water; dinghies that carry people and gear easily and comfortably. All part of the Achilles family of quality inflatable boats.


THERE'S MORE QUALITY IN EVERY ACHILLES BOAT

he more you know about inflatable boats, the more you will appreciate the commitment to quality at Achilles. It has always been our goal to produce the best inflatable boats in the world. Not the most marketable, not the cheapest, not the prettiest. Simply the best. We believe we have succeeded, and so do a lot of people who know and depend upon inflatable boats. The record of reliability and safety we have built backs us up. And we back up our boats with an outstanding warranty.

The exterior of all Achilles boats is reinforced with Hypalon to resist damage from abrasions, punctures, oil, gasoline, ultraviolet rays or warm salt water.



Fiberglass transoms with aluminum pads are found on most Achilles boats.



The most advanced oar system in the industry was designed by Achilles.



THE BEST FABRIC MEANS MORE DURABILITY

The fabric is the single most important factor in an inflatable boat and no one makes a tougher, more durable fabric than Achilles. No one. Despite all the conflicting claims about fabric, there are really only two types of fabrics used on the top inflatables:

Hypalon-reinforced and PVC-reinforced.

Hypalon-reinforced and PVC-reinforced.
PVC (polyvinylchloride) is a plastomer or plastic-based product which, although used in inflatables for many years, has become more popular in recent years. It is used by several well known inflatable manufacturin their boats and is a much less costly a native to Hypalon.

native to Hypalon.

Hypalon is an elastomer produced by DuPont which has been proven to be the more effective in resisting damage from abrasions, oil, gasoline or the weathering effects of the sun, ozone or warm salt water.




Seams are overlapped a full inch and taped inside and out for

A rubbing strake around all our boàts provides extra protection



Extra air chambers mean extra safety and buoyancy



Computer-aided design permits ongoing refinements and improvements.

ON FABRIC

AND SEAMS WE BACK OUR **CLAIM TO HAVING** THE BEST FABRIC AND CONSTRUCTION IN THE INDUSTRY WITH

A STRONG WARRANTY COMMITMENT.

At Achilles we use Hypalon on all our boats even though our parent company is one of the world's largest producers of PVC! This is because we refuse to compromise quality for cost.

And we use Hypalon over a tough heavyduty, nylon core for maximum strength and toughness. The inside of our fabric is coated with two layers of Neoprene because this elastomer is more airtight than Hypalon. This guarantees that our boats will remain fully inflated longer, even in extreme temperatures. Again this is a more costly, time consuming step taken to insure unsurpassed wy and safety.

THE BEST TECHNOLOGY MEANS A BETTER DESIGN

Despite the extra care we take in producing Achilles boats, our modern production facility and advanced technology permit us supe-

rior manufacturing efficiency. So Achilles inflatables are still competitively priced. Our modern technology, such as a computer-aided design (CAD) system, also allows us to explore more design alternatives and incorporate them into our boats quickly. We never stop refining and improving our boats. Innovations such as our inflat-able deep "V" keel, multiple air chambers, self-locking floorboards, fiberglass tran-soms and so on have all evolved from ongoing research and experimentation. This is why Achilles boats outperform other inflatables. Boaters are the driving force behind our designs, not marketing departments or factory capabilities.

THE BEST FEATURES MEAN MORE SAFETY AND COMFORT

Nobody puts more—or better—standard features on their boats than Achilles. Many of them, like our exclusive oar-lock system or

aluminum motor pads can be seen. Others, like our doubly reinforced seams or multiple air chambers, cannot. But it is attention to safety and detail inside and out that has helped us establish Achilles as the best built inflatable boats.

Our boats usually have at least one more air chamber than comparable competing boats. This is both a safety and a perfor-mance plus. Our seams are overlapped well beyond the industry standard and reinforced with seam tape outside *and* inside. Although inside seam tape is not used by most other manufacturers and cannot be seen, we know it makes a safer boat so we use it.

Our oars and seats are carefully designed to make rowing as easy as possible. Our transoms are made to last. Our extra bow rings, safety grip handles, and fuel tank fasteners are standard because they help make a better boat. When it comes to features you won't find a better equipped inflatable. In fact, you won't find a better inflatable, period.

ACHILLES SPORTBOATS AND SPORT DINGHIES: MORE STANDARD FEATURES

anufacturing a quality boat means building in a range of great standard features. More standard features, in fact, than anybody else. So no matter which Achilles sportboat or sport dinghy you select, you know that in addition to a well-designed boat, you are also assured a well-equipped boat. A boat that will deliver all the advantages of an inflatable without sacrificing any of the comfort or excitement you expect from a high perfor-

mance sportboat.

From major Achilles innovations such as a simple, self-locking floorboard system and advanced folddown, lock-in oar system, to important small features like fuel tank fasteners and aluminum transom pads, the commitment is to comfort, safety and convenience. It is also important to Achilles that the features fit the boat. So you won't find identical features on all boats, only the ones that best support the function of each particular boat. At Achilles, each model is designed individually to be the best that it can.

So whether you select an SE or SQ Sportboat for practicality, an SD for roominess, an SK for excitement, an SR for sportiness or an SH for toughness, you are sure of owning a versatile boat that can perform many functions well. The same holds true for all Achilles sport dinghies from the sporty SPD models to the more compact LS and LT lines. Every Achilles inflatable is loaded with great features that make it a complete boat, ready for work or play.

Compare features and you'll see the difference the Achilles commitment to quality makes.







STANDARD FEATURES ON ACHILLES **SPORTBOATS AND SPORT DINGHIES**

- SHD, SPD Series and HB). Fixed Bowdodger and optional Windshield (SR, SHR). Both Bowdodgers come with support bar.
- 2. Reinforced Rubbing Strip of extra wide, thick molded rubber for protection all around the boat.
- 3. Combination Towing Ring and Bow Carrying Handle of solid metal. Painter Line included.
- 4. Two extra Towing "D" Rings on Bow (most models).
- 5. Life lines. Easily reached from inside or outside of boat.
- 6. Spray Deflector Trim for reducing spray over gunwales. Except SFD, LS Series and HB-100.
- 7. Advanced Lock-Type Oar Locks, Oars and Oar Stoppers. (except SR/SD/SK-156)
- 8. Helmsman's Grip Handle for driving at high speed. (except LS
- 9. Heavy-Duty Marine Plywood Sectional Floorboards with high-gloss varnish (on all sportboats and sport dinghies except SU, SH, SK, GT and HB Series. SU, SH, SK and GT Series have aluminum floorboards, available on SR and SD Series (except SR-110). SK, SH and SU Series have only aluminum floorboards. HB Series has a solid fiberglass reinforced floor.
- 10. Multi-purpose interior Bow Rings for securing holdalls and other items (except SPD, LS and HB Series).
- 11. Bilge Drain. Self-bailing drain with rubber diaphragm check valve. 12. Solid Fiberglass-Reinforced Transom for strong support of high
- performance outboards (except some SPD and LS Series)
- 13. Aluminum Pad to protect transom and prevent engine "ride-up." 14. Lifting Handles for easy carrying. (except LS Series).
- 15. Extra Large Check Valves for quicker inflation and deflation. Oneway airtight valve for inflation, capped for double safety. Cap and valve unscrewed together for fast deflation. (SU and SH Series have recessed valves.)
- 16. High Volume Foot Pump.
- 17. Fuel Tank Fastener to solidly secure tanks and prevent any movement (except SPD, LS and Aluminum Floorboard model). Optional fuel tank pad available.
- Carrying Bag for easy stowing and storage (except SU Series).
- · Repair Kit.



Interior Bow Rings



Sportboat Bow Carrying Handle



Sport Dinghy D Ring and Painter Line



High Volume Foot Pump

SE AND SQ SPORTBOATS: MORE ALL-ROUND USES





	SE-110	SE-12	SQ-120
LENGTH OVERALL INSIDE	11'0" (335 cm.) 6'11" (212 cm.)	12'0" (365 cm.) 7'7" (232 cm.)	12'0" (365 cm.) 7'10" (240 cm.)
BEAM OVERALL INSIDE	5'1" (155 cm.) 2'6" (75 cm.)	5'1" (155 cm.) 2'6" (75 cm.)	5'1" (155 cm.) 2'6" (75 cm.)
STOWED BOAT	3'7"×1'11"×1' 110×59×30 cm.	4'×1'10"×1' 123×55×30 cm.	4'×1'10"×1' 123×55×30 cm.
STOWED FLOOR	3'2"×1'8"×4" 96×50×10 cm.	3'3"×1'10"×5" 99×57×13 cm.	3'3"×1'10"×5" 99×57×13 cm.
TUBE DIAMETER	15.8" (40 cm.)	15.8" (40 cm.)	15.8" (40 cm.)
WEIGHT	106 lbs. (47 kg.)	130 lbs. (58.5 kg.)	130 lbs. (58.5 kg.)
LOADING CAPACITY	1,100 lbs. (500 kg.)	1,190 lbs. (540 kg.)	1,386 lbs. (630 kg.)
PERSON CAPACITY	5	5	5
RECOMMENDED H.P.	9.9 (6-15) Standard shaft	15 (4-25) Standard shaft	15 (4-25) Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel	4 plus air keel	4 plus air keel
COLOR	Lt. Grey, Red, Blue 💍 🔴 🌑	Lt. Grey, Red, Blue	Blue

SD SPORTBOATS: MORE ROOM & MORE FUN

t's difficult to imagine any boating need that tough, roomy SD Sportboats can't handle. Their excellent oar system and optional seating accessories make them superb tenders. Their roominess, stability and durability make them rugged utility boats. And their superior performance make them exciting, planing sportboats.


SD boats are a favorite of divers and fishermen because they can carry a lot of gear and are extremely stable. But when the fishing or diving is over they still have a high performance funboat for waterskiing or other uses.

An SD Sportboat is a logical choice for the boater who wants a boat that can do a little bit of everything, and look good doing it.





SD-130 Wooden bow deck shown is optional accessory.



	SD-124	SD-130	SD-140	SD-156
LENGTH OVERALL INSIDE	12'4" (375 cm.) 7'9" (235 cm.)	13'2" (400 cm.) 8'2" (250 cm.)	14'0" (425 cm.) 8'8" (265 cm.)	15'6" (473 cm.) 9'6" (290 cm.)
BEAM OVERALL INSIDE	5'4" (161 cm.) 2'6" (75 cm.)	5'6" (167 cm.) 2'6" (77 cm.)	5'6" (167 cm.) 2'6" (77 cm.)	6'3" (190 cm.) 2'11" (90 cm.)
STOWED BOAT	4'×1'10"×1'2" 123×55×36 cm.	4'5"×2'×1' 135×61×31 cm.	4'5"×2'2"×1' 135×65×31 cm.	5'×2'4"×1'2" 152×71×36 cm.
STOWED FLOOR	$3' \times 1'11" \times 5"$ $92 \times 59 \times 13$ cm.	3'1"×2'×6" 94×61×15 cm.	3'1"×2'2"×6" 94×65×15 cm.	3'7"×2'5"×6" 109×73×15 cm.
DIAMETER	17.0" (43 cm.)	17.7" (45 cm.)	17.7" (45 cm.)	19.7" (50 cm.)
WEIGHT	150 lbs. (67.5 kg.)	170 lbs. (75.5 kg.)	190 lbs. (86 kg.)	240 lbs. (109 kg.)
LOADING CAPACITY	1,540 lbs. (700 kg.)	1,910 lbs. (870 kg.)	1,940 lbs. (880 kg.)	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	5	6	6	8
RECOMMENDED H.P.	20 (6-35) Standard shaft	20 (6-35) Standard shaft	30 (9.9-50) Standard shaft	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel	4 plus air keel	4 plus air keel	5 plus air keel
COLOR	Red or Grey	Red, Blue/Black • •	Red or Grey	Red or Grey 9

SK SPORTBOATS: MORE EXCITEMENT

oomy, rugged and ready for action! The greater the challenge the more you'll appreciate these sleek, high performance boats. From working to water skiing and everything in between, there's no better combination of muscle and looks on the water.

In addition to all the great standard features you'll find on any Achilles sportboat, the SK series offers the special advantages of self-locking aluminum floorboards. Their non-slip design lets you move about the boat easily. They are corrosion-resistant and will never be damaged by the sun, salt water or chemicals. Plus there is no painting or upkeep needed.

Perfect for divers and their gear, fishing or hunting expeditions, or just enjoying as much speed and excitement as you can handle!



Steering system shown is optional accessory.



	LIEU LIEU LIEU LIEU LIEU LIEU LIEU LIEU	The state of the s	2
	SK-124	SK-140	SK-156
LENGTH OVERALL INSIDE	12'4" (375 cm.) 7'9" (235 cm.)	14'0" (425 cm.) 8'8" (265 cm.)	15'6" (473 cm.) 9'6" (290 cm.)
BEAM OVERALL INSIDE	5'4" (161 cm.) 2'6" (75 cm.)	5'6" (167 cm.) 2'6" (77 cm.)	6'3" (190 cm.) 2'11" (90 cm.)
STOWED BOAT	4'×1'10"×1'2" 123×55×36 cm.	4'5"×2'2"×1' 135×65×31 cm.	5'×2'4"×1'2" 152×71×36 cm.
STOWED FLOOR	3'×2'×6" 93×60×16 cm.	3'1"×2'2"×7" 95×65×19 cm.	3'7"×2'6"×8" 110×75×19 cm.
JUBE DIAMETER	17.0" (43 cm.)	17.7" (45 cm.)	19.7" (50 cm.)
EIGHT	160 lbs. (71 kg.)	195 lbs. (88.5 kg.)	250 lbs. (113 kg.)
LOADING CAPACITY	1,540 lbs. (700 kg.)	1,940 lbs. (880 kg.)	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	5	6	8
RECOMMENDED H.P.	20 (6-35) Standard shaft	30 (9.9-50) Standard shaft	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	4 plus air keel	4 plus air keel	5 plus air keel
COLOR	Black, Red, Green/Black	Black, Red, Green/Black	Black, Red, Green/Black

SR SPORT BOATS: MORE SPORT

ith fixed bowdodgers as standard equipment, SR Sportboats represent our sportiest models. These all-purpose boats afford you all the versatility of a tough, roomy inflatable without sacrificing any of the excitement of a high performance sportboat. Now available in a striking yellow and grey color combination as well as in red, SR boats will rise up on a plane quickly and easily using a smaller outboard than rigid hull boats of the same size. And once you're underway in an Achilles SR Sportboat, you'll love the easy handling and superb maneuverability these sporty models provide. A range of accessories including steering system and sport seats is available to outfit your SR boat to fit your exact needs. Water skiing, scuba diving and fishing are only some of the uses you'll find for SR Sportboats. These versatile boats also make superb yacht tenders, runabouts and all-around utility boats.





	SR-110	SR-124	SR-140	SR-156
LENGTH OVERALL INSIDE	11'0" (335 cm.) 5'6" (168 cm.)	12'4" (375 cm.) 6'3" (190 cm.)	14'0" (425 cm.) 7'5" (225 cm.)	15'6" (473 cm.) 8' (245 cm.)
BEAM OVERALL INSIDE	5'1" (155 cm.) 2'6" (75 cm.)	5'4" (161 cm.) 2'6" (75 cm.)	5'6" (167 cm.) 2'6" (77 cm.)	6'3" (190 cm.) 2'11" (90 cm.)
STOWED BOAT	$4' \times 1'9'' \times 1'$ 121 × 54 × 31 cm.	$4' \times 1'10'' \times 1'$ 123 × 55 × 31 cm.	$4'5" \times 2'2" \times 1'$ 135 × 65 × 31 cm.	4'11" × 2'3" × 1'2" 150 × 69 × 36 cm.
STOWED FLOOR	$3' \times 1'8'' \times 5''$ $91 \times 51 \times 13$ cm.	$3' \times 1'11" \times 5"$ $92 \times 59 \times 13$ cm.	$3'1" \times 2'2" \times 6"$ $94 \times 65 \times 16$ cm.	3'7" × 2'5" × 6" 109 × 73 × 16 cm.
TUBE DIAMETER	15.8" (40 cm.)	17.0" (43 cm.)	17.7" (45 cm.)	19.7" (50 cm.)
ING CAPACITY	134 lbs. (61 kg.)	155 lbs. (70 kg.)	198 lbs. (90 kg.)	245 lbs. (111 kg.)
ING CAPACITY	1,080 lbs. (490 kg.)	1,540 lbs. (700 kg.)	1,940 lbs. (880 kg.)	2,750 lbs. (1,250 kg.)
PERSON CAPACITY	4	5	6	8
RECOMMENDED H.P.	15 (4-25) Standard shaft	20 (6-35) Standard shaft	30 (9.9-50) Standard shaft	35 (9.9-55) Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel	4 plus air keel	4 plus air keel	5 plus air keel
COLOR	Red or Yellow/Grey	Red or Yellow/Grey	Red or Yellow/Grey	Red or Yellow/Grey

SH/SU HEAVY DUTY SPORT & WORK BOATS:



Steering system shown is optional accessory.

	SH-140	SH-156	SH-170
LENGTH OVERALL INSIDE	14'0" (425 cm.) 8'8" (265 cm.)	15'6" (473 cm.) 9'6" (290 cm.)	17'0" (518 cm.) 10'6" (320 cm.)
BEAM OVERALL INSIDE	5'6" (167 cm.) 2'6" (77 cm.)	6'3" (190 cm.) 2'11" (90 cm.)	6'11" (210 cm.) 3'3" (100 cm.)
STOWED BOAT	4'11"×2'2"×1'1" 150×67×33 cm.	5'×2'4"×1'2" 152×71 x 36 cm.	5'4"×2'7"×1'5" 162×79×42 cm.
STOWED FLOOR	$3'1" \times 2'1" \times 8"$ $95 \times 65 \times 19$ cm.	3'7"×2'6"×8" 110×75×19 cm.	4'×2'10"×8" 122×86×19 cm.
TUBE DIAMETER	17.7" (45 cm.)	19.7" (50 cm.)	22.0" (55 cm.)
WEIGHT	225 lbs. (102 kg.)	275 lbs. (125 kg.)	340 lbs. (155 kg.)
LOADING CAPACITY	1,892 lbs. (860 kg.)	2,710 lbs. (1,230 kg.)	3,590 lbs. (1,630 kg.)
PERSON CAPACITY	6	8	10
RECOMMENDED H.P.	30 (9.9-50) Standard shaft	35 (9.9-55) Standard shaft	40 (20-65) Long shaft
NO. OF AIR CHAMBERS	4 plus air keel	5 plus air keel	5 plus air keel
COLOR	Grey	Grey 🌑	Grey

MORE RUGGED



	SU-14	SU-16	SU-18
	14'0" (425 cm.) 9'3" (282 cm.)	16'0" (488 cm.) 10'10" (330 cm.)	18'0" (549 cm.) 12'0" (366 cm.)
	5'10" (178 cm.) 2'8" (82 cm.)	6'9" (206 cm.) 3'3" (100 cm.)	7'7" (230 cm.) 3'7" (110 cm.)
	5'4"×2'5"×1'5" 162×74×42 cm.	5'8"×2'10"×1'4" 172×87×40 cm.	6'4"×3'4"×1'7" 192×102×48 cm.
	3'4"×2'5"×8" 101×75×19 cm.	3'11"×2'9"×8" 120×85×19 cm.	4'4"×3'1"×8" 133×95×19 cm.
	19.0" (48 cm.)	21.0" (53 cm.)	24.0" (60 cm.)
(Mi	270 lbs. (123 kg.)	360 lbs. (162.5 kg.)	400 lbs. (182.5 kg.)
1 Carl	,090 lbs. (950 kg.)	3,210 lbs. (1,460 kg.)	4,660 lbs. (2,120 kg.)
	8	10	15
	30 (9.9-55) Long shaft	40 (20-75) Long shaft	50 (25-90) Long shaft
	4 plus air keel	5 plus air keel	5 plus air keel
	Grey	Grey	Grey
			THE RESERVE THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER.

ur SU workboats are made to withstand any industrial use while still providing the advantages of an inflatable boat. Achilles uses a special two-ply technique which bonds together two layers of heavy-duty base nylon fabric prior to the protective calendering of Hypalon outside and Neoprene inside. This two-ply technique actually makes the core fabric of these boats stronger than a single base fabric of equal thickness. And a super wide tube diameter keeps these workboats stable even under the heaviest loads.

HB RIGID HULL BOATS: MORE PERFORMANCE

he best of both worlds! Achilles HB Boats combine the safety, stability and buoyancy of an inflatable with the performance of a deep "V" rigid hull boat. And in 1988, you have two great HB models to choose from, our popular 10-foot HB-100 and the brand new HB-90, 8-feet, 10-inches of compact performance and fun.

Even with their rigid hulls, HB boats are still easy to transport and store due to their lightweight and deflatable tubes.

The same heavy-duty, Hypalon-reinforced fabric used on our regular inflatables is bonded to a tough rigid hull. The result is a high performance powerboat which takes a smaller engine and has much more buoyancy and seaworthiness than a rigid craft while still providing the same maneuverability.

The HB-100 is a terrific tender and roomy runabout. It's fast, fun and easily fits on top of a car. Also it has multi air chambers to make it virtually unsinkable.



HB-90

Achilles







	HB-100	HB-90
LENGTH OVERALL INSIDE	10'2" (310 cm.) 7'7" (230 cm.)	8'10" (270 cm.) 6'8" (203 cm.)
BEAM OVERALL INSIDE	4'11" (150 cm.) 2'5" (74 cm.)	4'9" (145 cm.) 2'6" (75 cm.)
TUBE DIAMETER	15.0" (38 cm.)	13.8" (35 cm.)
WEIGHT	110 lbs. (51 kg.)	85 lbs. (38.5 kg.)
LOADING CAPACITY	924 lbs. (420 kg.)	750 lbs. (340 kg.)
PERSON CAPACITY	4	3
MAXIMUM H.P.	9.9 Standard shaft	8.0 Standard shaft
NO. OF AIR CHAMBERS	3	3
COLOR	Blue	Blue

GT SPORT DINGHIES: MORE VERSATILITY

he perfect tender that's much more than a tender! It's sturdy, steady and fast moving. And for 1988 the GT Sport Dinghies are more roomy with a brand new square bow design. Built with an aluminum floor, fiberglass transom and famous Achilles fabric, these handsome red and grey boats are virtually maintenance free. They inflate and assemble in minutes for true convenience and portability, making them practical and fun to take along in an RV or motor home. And even with a small outboard, this tender provides all the planing excitement of a high performance sportboat.

Achilles









	GT-10	GT-11
LENGTH OVERALL INSIDE	10'2" (310 cm.) 7'6" (228 cm.)	11'0" (335 cm.) 8'0" (245 cm.)
BEAM OVERALL INSIDE	4'9" (146 cm.) 2'3" (70 cm.)	5'0" (152 cm.) 2'4" (72 cm.)
STOWED BOAT	3'7"×1'11"×1'2" 110×59×35 cm.	3'10"×1'11"×1'1" * 116×58×34 cm.
TUBE DIAMETER	15.0" (38 cm.)	15.7" (40 cm.)
WEIGHT	110 lbs. (50 kg.)	120 lbs. (55.5 kg.)
LOADING CAPACITY	1,030 lbs. (470 kg.)	1,280 lbs (580 kg.)
PERSON CAPACITY	4	5
RECOMMENDED H.P.	9.9 Standard shaft	20.0 Standard shaft
NO. OF AIR CHAMBERS	3 plus air keel	3 plus air keel
COLOR	Red/Grey ()	Red/Grey, Green/Black () ()

^{*} STOWED FLOOR 2'11" \times 1'11" \times 5" $89 \times 59 \times 11.5$ cm.

SPD SPORT DINGHIES: MORE CHOICES



	SPD-2AD	SPD-4AD
LENGTH OVERALL INSIDE	8'4" (255 cm.) 5'5" (164 cm.)	10'2" (310 cm.) 6'10" (207 cm.)
BEAM OVERALL INSIDE	4'5" (135 cm.) 2'2" (65 cm.)	4'9" (145 cm.) 2'3" (69 cm.)
STOWED BOAT	3'5"×2'×1' 104×60×31 cm.	3'10"×1'10"×1' 117×57×31 cm.
TUBE DIAMETER	13.8" (35 cm.)	15.0" (38 cm.)
WEIGHT	75 lbs. (34 kg.)	95 lbs. (43 kg.)
LOADING CAPACITY	660 lbs. (300 kg.)	990 lbs. (450 kg.)
PERSON CAPACITY	2/3	4
RECOMMENDED H.P.	6.0 Standard shaft	9.9 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel	3 plus air keel
COLOR	Blue or Grey	Blue or Grey



when you will be seen the first the second the		
SPD-2FL	SPD-4FL	SPD-5FL
8'4" (255 cm.) 5'5" (164 cm.)	10'2" (310 cm.) 6'10" (207 cm.)	10'11" (332 cm.) 7'3" (221 cm.)
4'5" (135 cm.) 2'2" (65 cm.)	4'9" (145 cm.) 2'3" (69 cm.)	5'0" (152 cm.) 2'4" (72 cm.)
3'4"×2' x 11" 102×60×28 cm.	3'7"×1'10"×11" 110×57×29 cm.	3'10"×1'11"×1'1" 116×58×33 cm.
13.8" (35 cm.)	15.0" (38 cm.)	15.7" (40 cm.)
70 lbs. (31.5 kg.)	85 lbs. (39.5 kg.)	100 lbs (46 kg.)
660 lbs. (300 kg.)	1,010 lbs. (460 kg.)	1,170 lbs. (530 kg.)
2/3	4	5
O Standard shaft	8.0 Standard shaft	9.9 Standard shaft
2 plus air keel	3 plus air keel	3 plus air keel
Lt. Grey or Red 🍩 🔵	Lt. Grey or Red	Lt. Grey or Red


he Achilles SPD-2FL and SPD-4FL have become classic tenders among serious boaters. And last year we added the SPD-5FL to this immensely popular line to accommodate requests for a larger version to carry more people and gear. The same features that have made these boats favorites for years can be found in 1988; inflatable "V" keels, full-length wooden floorboards, solid wood transoms, classic oar system for easy rowing, wide beams and large tube diameters for outstanding stability and generous carrying capacity.

LS SPORT DINGHIES: MORE COMPACT

S Sport Dinghies are more compact than the SPD Series but still provide outstanding stability and high carrying capacity because of their inflatable keels, full length wooden floorboards, wooden transoms, wide beams and large tube diameters. They also have an inflatable seat which not only allows for easy rowing, but which also provides an additional air chamber for extra safety. Very easy to assemble, they make excellent tenders for small and medium sized boats.

They also fill a number of other uses for active individuals and families. They fit easily into campers, pickups or car trunks and can be launched quickly in wilderness areas where there is no easy water access. Combined with their surprising roominess and remarkable stability, these qualities make LS Sport Dinghies ideal for hunting, fishing and camping. They are safe for children who will find an endless variety of ways to put these easy-to-handle boats to fun use.





	LS-2	LS-4	LS-4GX
LENGTH OVERALL INSIDE	7'6" (228 cm.) 5'1" (156 cm.)	8'6" (260 cm.) 6'1" (185 cm.)	9'6" (290 cm.) 6'9" (205 cm.)
BEAM OVERALL INSIDE	4'4" (132 cm.) 2'0" (62 cm.)	4'8" (142 cm.) 2'2" (66 cm.)	4'8" (142 cm.) 2'2" (66 cm.)
STOWED BOAT	3'3"×1'10"×10" 98×55×25 cm.	3'5"×1'10"×10" 103×55×26 cm.	3'3"×2'×1' 100×60×30 cm.
TUBE DIAMETER	13.8" (35 cm.)	15.0" (38 cm.)	15.0" (38 cm.)
WEIGHT	55 lbs. (25.5 kg.)	70 lbs. (30.5 kg.)	75 lbs. (33 kg.)
LOADING CAPACITY	640 lbs. (290 kg.)	860 lbs. (390 kg.)	950 lbs. (430 kg.)
PERSON CAPACITY	2	4	4
RECOMMENDED H.P.	3.5 Standard shaft	6.0 Standard shaft	8.0 Standard shaft
NO. OF AIR CHAMBERS	2 plus air keel	2 plus air keel	3 plus air keel
COLOR	Red or Grey/Yellow • (Red or Grey/Yellow • (Blue

LSR SPORT DINGHIES: MORE EASE



	LSR-2	LSR-4
LENGTH OVERALL INSIDE	7'6" (228 cm.) 5'0" (153 cm.)	9'0" (275 cm.) 6'3" (190 cm.)
BEAM OVERALL INSIDE	4'5" (135 cm.) 2'1" (65 cm.)	4'9" (145 cm.) 2'3" (69 cm.)
STOWED BOAT	3'7"×1'8"×10" 110×50×24 cm.	3'11"×1'10"×11" 120×55×27 cm.
TUBE DIAMETER	13.8" (35 cm.)	15.0" (38 cm.)
WEIGHT	45 lbs. (20 kg.)	50 lbs. (23 kg.)
LOADING CAPACITY	640 lbs. (290 kg.)	900 lbs. (410 kg.)
PERSON CAPACITY	2	4
MAXIMUM H.P.	3.5 Standard shaft	4.0 Standard shaft
NO. OF AIR CHAMBERS	2	2
COLOR	Red	Red •


LT-DX DINGHIES: MORE CONVENIENCE



LT-2	LT-3DX	LT-4DX
7'1" (215 cm.) 5'1" (155 cm.)	8'4" (255 cm.) 6'3" (191 cm.)	9'5" (287 cm.) 7'1" (215 cm.)
4'0" (120 cm.) 2'0" (60 cm.)	4'1" (125 cm.) 2'0" (61 cm.)	4'7" (140 cm.) 2'3" (68 cm.)
2'7"×1'4"×9" 79×40×22 cm.	3'2"×1'6"×1' 97×47×30 cm.	3'6"×1'8"×1' 106×50×30 cm.
11.8" (30 cm.)	12.0" (32 cm.)	14.2" (36 cm.)
²⁰ lbs. (13.5 kg.)	45 lbs. (19.5 kg.)	65 lbs. (29 kg.)
O lbs. (240 kg.)	705 lbs. (320 kg.)	990 lbs. (450 kg.)
2	3	4
2.0 Standard shaft	3.5 Standard shaft	4 Standard shaft
2	2	3
Red	Blue or Grey/Yellow (Blue or Grey/Yellow • (

his new line was introduced in 1986 in response to demands for an economical dinghy tough enough to handle rugged chores but still compact enough to stow away easily. We have doubled the fabric of our LT series, added roll-up floors which remain right in the boat when they are deflated and stowed away, and made them available in handsome blue or yellow/grey. The result has been the most popular new inflatable dinghy introduced in years. You'd never expect so much from a dinghy for so little. And it's still made with Hypalon-reinforced fabric!

LT2 DINGHY: MORE ECONOMY



LT-2

long time favorite of boaters requiring a small, convenient, economical dinghy that can be stored virtually anywhere and transported with incredible ease. Only 30 lbs., the LT-2 folds up into a compact, space-saving bag which can easily be stored in car trunks, campers or closets and transported by motorcyclists, bikers and even backpackers. Yet this attractive dinghy is still made with Hypalon/Neoprene for extra strength and durability.

	LT-2
LENGTH OVERALL INSIDE	7'1" (215 cm.) 5'1" (155 cm.)
BEAM OVERALL INSIDE	4'0" (120 cm.) 2'0" (60 cm.)
STOWED BOAT	2'7"×1'4"×9" 79×40×22 cm.
TUBE DIAMETER	11.8" (30 cm.)
WEIGHT	30 lbs. (13.5 kg.)
LOADING CAPACITY	530 lbs. (240 kg.)
PERSON CAPACITY	2
RECOMMENDED H.P.	2.0 Standard shaft
NO. OF AIR CHAMBERS	2
COLOR	Red

One-year warranty on fabric and seams.

ACHILLES FOUL WEATHER GEAR

or 100% waterproof protection, you need Achilles AS-400 Foul Weather Suits. Made from a superprotective, watertight coating of Neoprene over a tough 210-denier/ nylon shell and fully lined with taffeta, these suits represent the latest in foul weather fabric technology. All seams are heat-sealed for watertight strength. All closures are noncorrosive plastic or velcro. Available in a full range of sizes for men and women.

And new for 1988 are Achilles lightweight Foul Weather Suits and handsome Foul Weather Jackets! Ask for the Achilles Foul Weather Gear brochure at your Achilles Boat Dealer or call or write Achilles.


ACCESSORIES: MORE OPTIONS



CARRY BAG FOR FLOORBOARDS



MULTI-POSITIONAL FIXING POINT FOR ACCESSORIES



DIAL PRESSURE GAUGE



FUEL TANK PAD



STAINLESS STEEL "D" RINGS (1", 1½", 3")
FOR FITTING EXTRA LIFELINES, LIFTING HANDLES,
SLINGS, DAVIT HARNESS, ETC.

FISHING POLE HOLDER



REGISTRATION PLATE ATTACHMENT



PENCIL PRESSURE GAUGE









AUTHORIZED DEALER

ACHILLES INFLATABLE CRAFT

Division of KOHKOKU USA, INC. 355 Murray Hill Parkway, East Rutherford, New Jersey 07073 U.S.A. Phone: (201) 438-6400 1407 80th Street, S.W., Everett, Washington 98204 U.S.A. Phone: (206) 353-7000



Manufacturer Achilles Corporation No. 22 Daikyo-Cho, Shinjuku-Ku, Tokyo 160 Phone: (O3) 341-5111. Telex: J26556 ACHILLES Fax: (O3) 358-1194, (O3) 351-6963