

All information, illustrations, photographs
and specifications contained in this
catalog are based on the latest product
information available at the time of
publication. Due to improvements
or other changes, there may be some
discrepancies in this brochure. Suzuki reserves
the right to make production changes at any
time, without notice and without incurring any
obligation to make the same or similar changes

previously built or sold.

to accessories

Note: Some items may require installation
by an Authorized Suzuki Marine Dealer






To locate the authorized Suzuki Dealer nearest you, log on to **www.suzukimarine.com**.

Suzuki Motor of America, Inc. 3251 East Imperial Highway Brea, California 92821

www.suzuki.com • www.suzukimarine.com store.suzukimarine.com

©2017 Suzuki Motor of America, Inc.
Printed in USA, Jan. 2017 / Part Number 990C0-12017



Dear Customer,

The Suzuki Genuine Accessories Catalog provides information on the highest quality accessories, specific to your outboard engine and application. We strive to bring you only the highest quality parts to ensure your outboard will run flawlessly for years to come. We recommend only using Suzuki Genuine Accessories on your Suzuki outboard. We never compromise over quality and you shouldn't compromise your boating experience with anything but Suzuki Genuine Accessories. Suzuki is on the forefront of innovation and have the accessories to prove it. If you are thinking of bringing the foremost of technology to your boat, think Suzuki. Pair your Suzuki outboard with our dependable instruments and gauges, custom-engineered propellers, and durably designed rigging items for optimum performance and reliability. Take your time reading through our catalog, and don't hesitate to visit our website or an Authorized Suzuki Marine Dealer.

www.suzukimarine.com.

Thank you,

STE

Suzuki Parts & Accessories









04 | 07











































UZUKI







TABLE OF CONTENS



Suzuki's flagship 300AP
4-stroke leads in power,
performance and technology.
The following are some
high-tech items to help take
advantage of Suzuki's leading
edge technology.



For DF150AP/175AP/200AP/250AP/300AP



200-98J03 Single Engine SPC Box only



Dual/Triple/Quad Engine SPC Box Only (Replacement Units)

0-98J13 Dual/Triple/Quad Engine SPC Box only

Single Engine SPC Kits		67000-98J69 Flush-Mount Station Kit	67000-98JE0	67000-98JF0* Second Station Kit*	
67200-98J03	Binnacle-Mount RC Box	Flush-Mount Station Kit	Single Station Binacle Kit	Second Station Kit."	
			1	1	
67200-98J22	Flush-Mount RC Box	1			
37100-98J04	Main Power Key Switch Assy	1	1		
37100-98J11	Single Engine Control Panel Assy	1	1	1	
38500-93J90	Warning Buzzer	1	1	1	
37803-93J04	Emergency Switch Panel			1	
36625-98J10	Battery Lead	1	1		
36770-98J11	Boat Control Module (BCM)	1	1	1	
36775-98J00	BCM Holder (L)	1	1	1	
36776-98J00	BCM Holder (R)	1	1	1	
33911-88BL0	BCM-Connect Cap	1	1	1	
33925-93J00	BCM Cushion	1	1	1	
36623-98J20	BCM #1 Wiring Harness	1	1		
36624-98J02	BCM #2 Wiring Harness			1	
36622-98J00	Dual Station Main Harness			1	
33926-98J00	Terminal Resistor	2	2		
37860-87L00	Troll Mode Switch Panel	1	1	1	

*Order Single Station Kit in addition to Second Station Kit to complete

Dual Engines SPC Kits

g.	9	67000-98JG0 Single Station Kit	67000-98JH0* Second Station Kit*
67200-98J13	Dual Binnacle-Mount RC Box	1	1
37100-98J04	Main Power Key Switch Assy	1	
37100-98J21	Dual Engine Control Panel Assy	1	1
38500-93J90	Warning Buzzer	1	1
37803-93J04	Emergency Stop Switch Panel		1
36625-98J10	Battery Lead	1	
36770-98J11	Boat Control module (BCM)	1	1
36775-98J00	BCM Holder (L)	1	1
36776-98J00	BCM Holder (R)	1	1
33925-93J00	BCM Cushion	1	1
36623-98J30	BCM #1 Wiring Harness	1	
36624-98J11	BCM #2 Wiring Harness		1
33926-98J00	Terminal Resistor	2	
36621-98J00	Dual Engine Single Station Harn	iess 1	
36622-98J00	Dual Station Main Harness		1
37860-87L00	Troll Mode Switch Panel	1	1

*Order Single Station Kit in addition to Second Station Kit to complete

Triple Engines SPC Kits

-		67000-98JJ0	67000-98JK0*
	S	ingle Station Kit	Second Station Kit*
67200-98J13	Dual Binnacle-Mount RC Box	1	1
37100-98J04	Main Power Key Switch Assy	1	
37100-98J31	Triple Engine Control Panel Assy	1	1
38500-93J90	Warning Buzzer	1	1
37803-93J04	Emergency Switch Panel		1
36625-98J10	Battery Lead	1	
36770-98J11	Boat Control module (BCM)	1	1
36775-98J00	BCM Holder (L)	1	1
36776-98J00	BCM Holder (R)	1	1
33925-93J00	BCM Cushion	1	1
36623-98J30	BCM #1 Wiring Harness	1	
36624-98J11	BCM #2 Wiring Harness		1
33926-98J00	Terminal Resistor	2	
36621-98J10	Triple Engine Single Station Harr	ness 1	
36622-98J00	Dual Station Main Harness		1
37860-87L00	Troll Mode Switch Panel	1	1

*Order Single Station Kit in addition to Second Station Kit to complete

Quad Engines SPC Kits

4 a a a = 11.9	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
		67000-98J71	67000-98J81*
	9	Single Station Kit	Second Station Kit*
67200-98J13	Dual Binnacle-Mount RC Box	1	1
37100-98J04	Main Power Key Switch Assy	1	
37100-98J21	Dual Engine Control Panel Assy	2	2
38500-93J90	Warning Buzzer	2	2
37803-93J04	Emergency Switch Panel		1
36625-98J10	Battery Lead	2	
36770-98J20	Boat Control module (BCM)	2	2
36775-98J00	BCM Holder (L)	2	2
36776-98J00	BCM Holder (R)	2	2
33925-93J00	BCM Cushion	2	2
36623-98J40	BCM Quadruple Wiring Harness	1	1
33926-98J00	Terminal Resistor	4	
36621-98J00	Dual Engine Single Station Harr	ness 2	
36622-98J00	Dual Station Main Harness		2
37860-87L00	Troll Mode Switch Panel	1	1

*Order Single Station Kit in addition to Second Station Kit to complete

Counter Rotation Adaptor

36612-98J10	Regular Rotation Selector
36612-98J20	Counter Rotation Selector



Flush Mount SPC Box Only (Replacement Units

67200-98J22 Flush Mount SPC Box only

Suzuki's flagship 300AP

4-stroke leads in power,

performance and technology.

Following are some high-tech

items to help take advantage

of Suzuki's leading edge

technology.

For 150AP/175AP/200AP/250AP/300AP





Emergency Stop Switch Panel Assembly

Includes: Emergency Stop Switch with Panel and Lanyard. Required at each station.

37803-93J04 Emergency Stop Switch Panel Assy

Control Panel Assemblies

Single to multiple engine, single or second station, select the panel needed for your application. Requires Main Switch Assembly 37100-98J03.



Triple Engine Control Panel Assy

37100-98J31 Triple Engine Control Panel Assy



Main Power Key Switch Assembly

Main Power Key Switch required for use with switch control panels listed above. Includes key.

37100-98J04 Main Power Key Switch Assembly



Dual/Quad Engine Control Panel Assy

37100-98J21 Dual Engine Control Panel Assy 37100-98J21 x2 Quad Engine Control Panel Assy

Battery Lead

36625-98J10



Battery Isolator Lead Sets

Used for charging an auxiliary battery.

33830-98J02 DF300 2007-2011 only 33830-98J11 DF150/150AP/175/175AP/200AP/250AP/ 300A/300AP



Wiring Harnesses

Main Wiring Harness. Order length as needed for rigging applications.



36620-98J30 21' (6.5m) Wiring Harness 36620-98J40 31' (9.5m) Wiring Harness



6.5' (2m) Wiring Harness Extension (Optional; order as needed)



Single Engine Control Panel Assy

37100-98J11 Single Engine Control Panel Assy

Replacement Wiring Harness (not shown)

	36621-98J00	Dual Engine Single Station Harness
	36621-98J10	Triple Engine Single Station Harness
	36622-98J00	Dual Station Main Harness
	36770-98J11	Boat Control Module (BCM)



BCM Harness

36623-98J20	BCM Harness No1 for Single Engine Single Station
36623-98J30	BCM Harness No1
	for Multiple Engines Single Station



36624-98J02	BCM Harness No 2	
	for Single Engine Second Station	
36624-98J11	BCM Harness No 2	
	for Multiple Engine Second Station	
36623-98J40	BCM Quadruple Harness	

Control Boxes define accuracy,

user-friendliness, and durability.

Suzuki Genuine Control Boxes





Replacement Control Boxes

67200-88L00	Single Binnacle Control Box	'05 - Current
67200-88L10	Dual Binnacle Control Box	'05 - Current
67200-93J33	Flush Mount Control Box	'05 - Current

Single Binnacle **Control Box Kit**

Includes: 37100-96J14

38500-92X50

67200-88L10

Single Binnacle Control Box uses a convenient thumb-operated power trim and tilt switch, push-button shifting disengagement for faster warm ups and built-in neutral safety switch. Kit includes items listed. *Main Wiring Harness must be ordered separately, see below.

67000-88L00	Single Binnacle Control Box Kit
includes:	
37100-96J24	Ignition Switch Panel with Emergency Stop and Warning Buzzer Assembly
67200-88100	Single Rinnacle Control Roy Assembly

Dual Ignition Switch with Emergency Stop

Dual Binnacle Control Box Assembly

Warning Buzzers (2)





tilt switch, a push button to disengage the shifting for faster warm-ups and a built in neutral safety switch. Reversible for left hand installations. Kit includes items listed.

*Main Wiring	Harness	must	be	ordered	separately
see below.					

67000-93J27* Flush Mount Binnacle Control B	
Includes:	
37100-96J24	Ignition Switch Panel with Emergency Stop and Warning Buzzer Assembly
67200-93J33	Flush Mount Control Box

Miscellaneous Components

38500-92X50	Warning Buzzer. Replacement for DF models.
36620-93J20	Control Box Adaptor Harness. Adapts 2005+ model control box with square connector to 2004 and earlier motors with round connector.
36620-93J30	Control Box Adaptor Harness. Adapts 2005+ model engine with square connector to 2004 and earlier harness with round connector



67500-93J00 Single Binnacle Control Box Spacer



67200-91J20

Analog Wiring Ha	rnesses.
36620-94J01	21' Wiring Harness (NON PT or PTT)
36620-93J52	16' Wiring Harness (PT or PTT)
36620-93J02	21' Wiring Harness (PT or PTT)
36620-93J62	26' Wiring Harness (PT or PTT)

DF4/6



'03 - **'**10

67200-89E35 DF9.9/15 '97 **-** '04 67200-94J20 DF9.9/15 '05 - '10 DF8A/9.9A '10 - Current DF25 V-Twin '06 - Current DF25A/30A (NON PT or PTT) '14 - Current 67200-99E56 DF25/30 (W+W/O PT) '00 - '04 67200-94J20 DF25/30 '05 - '08 67200-99E56 DF40/50 '99 - '04 DF60/70 ·98 - ·04 67200-93J50 DF25A/30A (With PT or PTT) '14 - Current DF40/50 **'**05 - **'**10 DF40A/50A/50AV/60A/60AV '10 - Current DF60/70 '05 - '10 DF70A/90A '10 - Current DF90/115/140 '05 - Current DF150/175/200A '06 - Current

and an emergency stop switch. *Main Wiring Harness must be ordered separately, see below..

Wiring Harnesses

Alialog Willing Hai	Hesses.
36620-94J01	21' Wiring Harness (NON PT or PTT)
36620-93J52	16' Wiring Harness (PT or PTT)
36620-93J02	21' Wiring Harness (PT or PTT)
36620-93J62	26' Wiring Harness (PT or PTT)

DF200/225/250



SUZUKI COLOR

DISPLAY

T-Connector

120 ohm Terminating Resistors are required for any open cable ends in the NMEA 2000 system.

990C0-88113 Terminator - Female 990C0-88114 Terminator - Male



Sensors



Monitors fluid levels such as fuel, live well water level etc. 10ft cable

990C0-88217 Fluid Level Sensor



Speed Sensor

Paddle wheel-type speed sensor. 10ft cable.

990C0-88117 Speed Wheel



Temperature Sensor

Surface Water Temperature sensor. 10ft cable.

990C0-88118 Temperature Sensor



Vater Pressure Sensor

990C0-88339 Water Pressure Sensor

The New Suzuki Color Display is a LED high resolution screen that has very sharp, crisp lines and is extremely easy to read. It has a bonded glass front screen so whether it be sun, salt, or UV rays, your screen will never blur or fade like a plastic cover. The C-10 has its mounting points in the front so there is no need to crawl under your console to mount it. It connects to Suzuki's digital harnesses with one easy connection. Save your favorite programming and update the display using the Mini USB port. The C-10 is able to monitor functions such as RPM, Speed*, Water Pressure*, Fuel Level*, Fuel Consumption, Coolant Temperature, Oil Level, Oil Temperature, Trim Level, Hours, or Volts (* additional sensors required). The C-10 is able to monitor up to 2 engines simultaneously. The Suzuki C-10 can be retro fitted, to replace a 4" round gauge.



Benefits

■ Bright, full color 320 x 240 LED screen makes it easier to see menus and screen detail in both full sunlight and night operation

SUZUKI

- Fits standard 3 3/8" gauge cutout
- Displays data for one or two engines per gauge
- Preconfigured pages or create your own
- Micro USB for software updates (update cable required)
- Power and data through single NMEA 2000 micro-C connector
- Low profile front mount 8 mm of dash (rear mount option for "glass dash" installations)

Suzuki C-10 Cover

This cover protects the Suzuki Color Display (C-10) from the elements. Use the cover to extend the life of your Suzuki C-10 color gauges.

990C0-10C10 Suzuki C10 Cover





Suzuki Color Display Kit

990C0-01C10-	KIT Suzuki Color Dis	play	Kit includes:		
Part Number	Description	Qty	Part Number	Description	Qty
990C0-01C10	Suzuki Color Display	1	990C0-88113	Female Terminator	1
990C0-88114	Male Terminator	1	990C0-88110	NMEA "T"	3
990C0-88112	Power Cable	1	990C0-88149-350	Interface Cable	1



Update Cable 990C0-99C10-CBL

Color Display



GPS Antenna with Compass

Suzuki has upgraded its GPS Antenna to include compass heading.

990C0-88122 GPS Antenna with Compass Heading



Engine Interface Cables

DF9.9B thru DF300AP Suzuki Outboards can connect to the system using the exclusive Engine Interface. (Adaptor Cable also needed for DF150AP/175AP/200AP/250AP/300AP applications.)

990C0-88149-350 Software Version 3.5 (subject to change) **990C0-88149-290** Software Version 2.9 (subject to change)



Adaptors


Adaptor must be used with Engine Interface to connect the DF150AP/175AP/200AP/250AP/300AP Outboard to the system.

990C0-88131	Single Engine Adaptor (not shown)
990C0-88132	Dual Engine Adaptor (not shown)
990C0-88133	Triple Engine Adaptor (not shown)
990C0-88132 x2	Quad Engine Adaptor (not shown)
990C0-88136	NMEA 2000 Adaptor
	- to connect at engine SDS connector

K8 Adaptor (not shown)

Required in order to put new style Interface cable on older system with round SDS connection.

990C0-88141



Used to connect a new style NMFA device net

990C0-88137 NMEA Device to Blue "T"

Used to connect an early Blue Connector device to

990C0-88029 Blue Device to NMEA "T"

NMEA 2000 Extension Cables

NMEA 2000 Extension Cable allows compatible sensors or other devices can be added by the use of T-Connectors throughout the system.

990C0-88104	2' Connection cable
990C0-88105	6' Connection cable
990C0-88107	15' Connection cable
990C0-88108	25' Connection cable



Power Cable

Fused(3A) lead connects extension cable to the power source.

990C0-88112 Single Power Cable



Quad Power Node

Allows network to be powered from multiple power



connector to an older network with Blue T's.

the later NMEA T.

Economically priced, high quality instruments feature easy plug-in wiring connections, perimeter-lighted dial, chrome bezels, contoured pointers and fog resistant glass lenses. All use standard 2" or 4" diameters for easy dash installation.





TROLL MODE OF TR

Trolling Mode Control Switch

37860-87L00

Allows the use of the Suzuki Troll Mode on equipped engines. When Troll mode is engaged, this switch allows for adjustments of engine RPM in 50 RPM increments, from idle to 1,200 RPM to make setting and maintaining a trolling speed easy. Consult owner's manual or Suzuki Outboard Dealer for additional details on Suzuki Troll System operation

DF40A/50A/50AV/60A/60AV/70A/90A/115A/115SS/140A/150AP/175AP DF200A/250AP/300AP



7,000 max RPM Tachs are available with or without 4-Stroke monitor functions.

Monitor functions include: Low Oil Pressure Warning, Engine Temperature Warning,
Check Engine Warning and Over-Rev Limit Warning.

34200-93J12 With monitor functions 34200-93J32 Without monitor functions



4" Tachometer With Suzuki Troll Mode Scale

Easy to read 4" Tachometer has a scale from 0-7,000 RPM for standard use and a secondary scale from 0-3,000 RPM with markers at 50 RPM intervals for use with the Suzuki Troll Mode System. Gauge also includes warning lamps for Engine Temperature, Low Oil, Check Engine, and Over-Rev. When in Troll mode, Over-Rev Lamp stays on to indicate that Troll mode has been engaged. The secondary RPM scale is designed to make setting and maintaining a lower troll speed simple. Fits DF40A/50A/50AV/60A/6 0AV/70A/90A/115A/140A (DF300 requires C-10 gauges) *See engine owner's manual for information about Suzuki Troll Mode system. Not all models come equipped with trolling mode system. Accessory Troll Mode Switch is required for Suzuki Troll Mode System use. Suzuki recommends the use of this gauge for trolling use.

34200-93J51 DF40A/50AV/60A/60AV/70A/90A/115A/140A/150/175/250SS (DF150/175AP/200AP/250AP/300AP/300 requires digital instrumentation)



4" Speedometers

Bourdon-tube type speedometer with readings in M.P.H. and Km/h. Includes vinyl tube, plus all installation instructions and hardware. *Pitot tube 34190-87D00 must be ordered separately.

34100-93J11	80 mph
34100-93J31	50 mph
34190-87D00*	Pitot Tube





2" Hour Meter

12 volt electric motor driven meter indicates the number of hours your outboard motor has been operated to indicate when periodic services are necessary

34500-93J11 White



2" Trim Guage

Magnetic type gauge shows trim angle for optimum performance and effeciency

34800-93J11 White



2" Voltmeter

A well charged battery is essential for quick and easy starts. Monitor the charging system using a Voltmeter.

34600-93J11 White



2" Fuel Gauge

Operates on 12 volts with magnetically damped needle. Works with most fuel tank sending units.

34300-93J11 White

Wille



2" Water Pressure Gauge 15 psi

Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation kit for appropriate model.


34650-93J31



Water Pressure Gauge Installation Kits

Kit includes fittings and hoses needed for motor to gauge connection.

34660-93J00	DF225/250/250AP/300AP
34660-96J00	DF150/150AP/150A/
	DF175/175AP/175A/200A
34660-99E00	DF60/70
34660-87J00	DF40/50
34660-90J02	DF40A/50A/50AV/60A/60AV/70A/90/
	DF90A/115/115A/140/140A



Engine Monitor Gauge for 4-stroke engines helps alert you to low oil pressure, high engine temperature and engine over-rev.

99105-80108 White



2" Hour Gauge

Handy Hour Meter helps you keep track of the time between services and total running time.

99105-80107 White



2" Voltmeter

99105-80100 White - Without monitor functions

A well charged battery is essential for quick and easy starts. Monitor the charging system using a Voltmeter.

99105-80106 White





2" Trim Gauge

To help maintain steering stability and good performance, proper trim angle is essential. The $\mathop{\rm Trim}\nolimits$ Gauge helps you monitor the trim angle. For use with 2-wire senders.

99105-80105 White



2" Fuel Gauge

Adding a Fuel Gauge can help you monitor fuel level. Connects easily using your boat's fuel sending unit harness.

99105-80103 White



2" Water Pressure Gauge 30 psi


Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation kit for appropriate model.

99105-80104 White

Water Pressure Gauge Installation Kits

Kit includes fittings and hoses needed for motor to gauge connection.

4660-93J00	DF225/250/250AP/300AP	34660-87J00	DF40/50
4660-96J00	DF150/150AP/150A/DF175/175AP/175A/200A	34660-99E00	DF60/70
4660-90J02	DF40A/50A/50AV/60A/60AV/70A/90A/90/115/1	15A/140/140A	
	. , , , , , , , , , , , , , , , , , ,	,	



Suzuki Genuine Instruments are custom-designed to provide the quality, reliability and value you expect from Suzuki Products. The wide selection allows you to accurately monitor a variety of essential functions. All instruments are lighted for night time boating and feature standard 2" and 4" diameters for easy installation.





Trolling Mode Control Switch

Allows the use of the Suzuki Troll Mode on equipped engines. When Troll mode is engaged, this switch allows for adjustments of engine RPM in 50 RPM increments, from idle to 1,200 RPM to make setting and maintaining a trolling speed easy. Consult owner's manual or Suzuki Outboard Dealer for additional details on Suzuki Troll System operation

37860-87L00 DF40A/50A/50AV/60A/60AV/70A/90A/115A/115SS/140A/150AP/175AP



7,000 max RPM Tachs are available with or without 4-Stroke monitor functions. Monitor functions include: Low Oil Pressure Warning, Engine Temperature Warning, Check Engine Warning and Over-Rev Limit Warning.

34200-93J00 with monitor functions 34200-93J20 without monitor



4" Tachometer With Suzuki Troll Mode Scale

Easy to read 4" Tachometer has a scale from 0-7,000 RPM for standard use, and a secondary scale from 0-3,000 RPM with markers at 50 RPM intervals for use with the Suzuki Troll Mode System*. Gauge also includes warning lamps for Engine Temperature, Low Oil, Check Engine and Over-Rev. When in troll mode, Over-Rev lamp stays on to indicate that Troll mode has been engaged. The secondary RPM scale is designed to make setting and maintaining a lower troll speed simple. *See engine owner's manual for information about Suzuki Troll Mode system. Not all models come equipped with trolling mode system. Accessory Troll Mode Switch required for Suzuki Troll Mode System use. Suzuki recommends the use of this gauge for trolling use.

34200-93J40 DF40A/50A/50AV/60A/60AV/70A/90A/115A/140A/150/175/250SS (DF150/175AP/200AP/250AP/300AP/300 requires digital instrumentation)



4" Speedometers

Bourdon-tube type speedometer with readings in M.P.H. and Km/h. Includes vinyl tube, plus all installation instructions and hardware. *Pitot tube 34190-87D00 must be ordered separately.

34100-93J00 80 mph 34100-93J20 50 mph 34190-87D00* Pitot Tube





2" Hour Meter

12 volt electric motor driven meter indicates the number of hours your outboard motor has been operated to indicate when periodic services are necessary.

34500-93J00 Black



2" Trim Meter

Magnetic type gauge shows trim angle for optimum performance and efficiency.

34800-93J00



2" Voltmeter

A well charged battery is essential for quick and easy starts. Monitor the charging system using a Voltmeter.

34600-93J00 Black



2" Fuel Gauge

Operates on 12 volts with magnetically damped needle. Works with most fuel tank sending units.

34300-93J00 Black



2" Water Pressure Gauge 15 psi

Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation kit for appropriate model.

34650-93J20



Water Pressure Gauge Installation Kits

Kit includes fittings and hoses needed for motor to gauge connection.

DF225/250/250AP/300APP
DF150/150AP/150A/
DF175/175AP/175A/200A
DF60/70
DF40/50
DF40A/50A/50AV/60A/60AV/70A/90/
DF90A/115/115A/140/140A

x 100

SUZUKI

Economically priced, high quality instruments feature easy plug-in wiring connections, perimeter-lighted dial, black bezels, contoured pointers and fog resistant glass lenses. All use standard 2" or 4" diameters for easy dash installation.





Easy to read 4" Speedometer features include lighted dial, contoured pointer and fog resistant glass lens. *Requires Tubing 99105-80009.

99105-80002	Black 60 mph
00405 000004	0 1

99105-80009* Speedometer Tubing (not shown)



4" Tachometers

7,000 max RPM Tachs are available with or without 4-Stroke monitor functions. Monitor functions include: Low Oil Pressure Warning, Engine Temperature Warning, Check Engine Warning and Over-Rev Limit Warning.

9910	5-80001	Black - With monitor functions
9910	5-80000	Black - Without monitor functions



2" Engine Monitor Gauge

Engine Monitor Gauge for 4-stroke engines helps alert you to low oil pressure, high engine temperature and engine over-rev.

99105-80008 Black



2" Hour Gauge

Handy Hour Meter helps you keep track of the time between services and total running time.

99105-80007 Black



2" Voltmeter

A well charged battery is essential for quick and easy starts. Monitor the charging system using a Voltmeter.

99105-80006 Black





2" Trim Gauge

To help maintain steering stability and good performance, proper trim angle is essential. The Trim Gauge helps you monitor the trim angle. For use with 2-wire senders.

99105-80005 Black



2" Fuel Gauge

Adding a Fuel Gauge can help you monitor fuel level. Connects easily using your boat's fuel sending unit harness.

99105-80003 Black



2" Water Pressure Gauge 30 psi

Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation kit for appropriate model.

99105-80004 Black

Water Pressure Gauge Installation Kits

 $\label{lem:constraints} \mbox{Kit includes fittings and hoses needed for motor to gauge connection.}$

34660-93J00	DF225/250/250AP/300AP	34660-87J00	DF40/50
34660-96J00	DF150/150AP/150A/DF175/175AP/175A/200A	34660-99E00	DF60/70
34660-90J02	DF40A/50A/50AV/60A/60AV/70A/90A/90/115/1	15A/140/140A	

CABLES AND RIGGING

Switch Panels Assemblies

Genuine Suzuki Switch Panel assemblies are designed to match and connect with other Suzuki components for easy installation and trouble-free operation.



on equipped engines. When Troll mode is engaged, this switch allows for adjustments of engine RPM in 50 RPM increments, from idle to 1200 RPM to make setting and maintaining a trolling Suzuki Outboard Dealer for additional

speed easy. Consult owner's manual or details on Suzuki Troll System operation.

37860-87L00

DF40A/50A/50AV/60A/60AV/70A/90A/115A/115SS/140A/200A/200AP DF250AP/300AP





Emergency Stop Switch

Panel Assembly

Emergency Stop Switch Panel Assembly. Includes wiring, hardware and lanyard.

37803-93J04



Single Engine Ignition Switch Panel Assembly

Single Engine Ignition Switch Panel Assembly. Includes wiring and hardware.

37100-96J00 DF40A/50A/50AV/60A/60AV/70A/90A/115A/115SS/140A/150/175/200



Dual Engine Ignition and

Emergency Stop Switch Panel Assembly

Dual Engine Ignition and Emergency Stop Switch Panel Assembly. Includes wiring, hardware and stop switch lanyard.

37100-96J14



Single Engine Ignition and **Emergency Stop Switch** Panel Assembly

Single Engine Ignition and Emergency Stop Switch Panel Assembly. Includes wiring, hardware and stop switch lanyard.

37100-96J24



P.T.T. Switch Panel Assembly

P.T.T. Switch Panel Assembly. Includes wiring and hardware.

37805-93J00



Main Wiring Harness. Order length as needed for rigging applications.

36620-93J52	16' Wiring Harness
36620-93J02	21' Wiring Harness
36620-93J62	26' Wiring Harness
36620-93J10	6' Wiring Harness Extension
36620-93J40	10' Wiring Harness Extension



Battery Isolator Lead Set

Used for charging auxiliary battery.

33830-96J00	DF150/175 (S/N Models up to 499999)
33830-98J11	DF150/175 (S/N Models 510001 and newer)
	DF200AP/175AP/150AP/250A/300A/300AP
33830-98J02	DF300 (Models up to 199999)

Aux Power Trim Switch

Allows quick connection of remote trim switch with easy plug in bullet connectors.

36647-93J00



Kit Includes:	1 - Through-Hull attachment 2 - pins, 2 - e-rings
67300-98J10	DF115A/140A/150/175/200A/200AF DF250AP/300AP 2016-Newer
67300-93J00	DF150/175/200/225/250/300 2006-2015
67300-90J00	DF70A/90A/100/115/140 2006-2015

Replacement Ignition Keys (not s

37141-99E00	Key 931	37141-99E10	Key 932
37141-99E20	Key 933	37141-99E30	Key 934
37141-99E40	Key 935	37141-99E50	Key 936
37141-99E60	Key 937	37141-99E70	Key 938
37141-99E80	Key 939	37141-99E90	Key 940
37141-99EA0	key 941	37141-99EB0	Key 942



Replacement Lanyard for Emergency Stop Switch.


37823-92E01

Suzuki Performance

Remote Control Cables

Suzuki Performance Cables have a unique design that incorporates a patent-pending splined core. Ridges on the core to allow a close fit to the cable's inner liner with minimum contact, allowing the core to glide back and forth smoothly. All cables are factory tested and approved for heavy use applications. Order cable length as needed.

99105-11002-008	8'
99105-11002-009	9'
99105-11002-010	10'
99105-11002-011	11'
99105-11002-012	12'
99105-11002-013	13'
99105-11002-014	14'
99105-11002-015	15'



02-008	8'	99105-11002-016	16'	99105-11002-024	24'
02-009	9'	99105-11002-017	17'	99105-11002-025	25'
02-010	10'	99105-11002-018	18'	99105-11002-026	26'
02-011	11'	99105-11002-019	19'	99105-11002-027	27'
02-012	12'	99105-11002-020	20'	99105-11002-028	28'
02-013	13'	99105-11002-021	21'	99105-11002-029	29'
02-014	14'	99105-11002-022	22'	99105-11002-030	30'
02-015	15'	99105-11002-023	23'		







New fully-integrated tiller handle with digital tachometer display. Includes redesigned, more ergonomic shift lever.

SHADOW BLACK METALLIC		
63002-88L12-0EP	DF50AV/60A/60AV	'10 - Current
63002-87L13-0EP	DF70A/90A	'09 - Current
63002-90J32-0EP	DF115A w/ Adjustable Steering Damper	
PEARL NEBULAR BLACK		
63002-88L22-YAY	DF40A/50A	'10 - Current
63002-88L12-YAY	DF50AV/60A/60AV	'10 - Current
63002-87L13-YAY	DF70A/80A/90A	'09 - Current
63002-90J33-YAY	DF115A w/ Adjustable Steering Damper	





Shift Lever



Angle Adjustable Bracket





Dual Cable Steering Kit

Kit allows you to attach two steering cables for added reliability.

99105-10004 DF150 - DF250



Twin Engine Adapter Plate Set

Adapter plates are used when installing a tie bar on a D115A/140A.

99105-10005 DF115A/140A *Does NOT fit DF90A

63001-94J40-0EP	DF9.9/15	'05 - '09
63002-87J26-0EP	DF40/50	'05 - '09
63002-99E29-0EP	DF60 w/ Steering Tensioner	'05 - '09
	DF70 w/ Steering Tensioner	'05 - '08
63002-88L07-0EP	DF40A/50A/60A	'10 - Current
63002-87L05-0EP	DF70A/90A	'09 - Current
63002-90J29-0EP	DF90/115 w/ Hydraulic Tensioner	'05 - Current



Drag Link Kits

Corrosion-resistant stainless steel Drag Links are specially designed for use with Suzuki Outboard Motors.

7701-94JA0	DF9.9T	'08 - Current
7701-99J02	DF8A/9.9A	'10 - Current
7701-93E12	DF9.9/15	'97 - '10
7701-89J20	DF25/30	'00 - '07
7701-95J00	DF25 V-Twin	'06 - Current
7701-87J11	DF40/50	'99 - '10
	DF40A/50A/60A	'10 - Current
	DF60/70	'98 - '10
7701-87L01	DF70A/90A	'09 - Current
7701-90J01	DF90/115/140A	'01 - Current
7701-96J00	DF150/150AP/175/175AP/200A	'06 - Current
7700-93J00	DF200/225/250/300A/300AP	'04 - Current



Dual Engine Tie Bar

Stainless steel Tie Bar for dual engine steering, adjustable up to 36".

99105-10006 DF40A - DF140A



All Models

\$ SUZUKI.

Compact Water Separator/Fuel Filter

Compact size Water Separator/Fuel Filter is ideal for smaller boatmotor combinations of up to 140 H.P. Not for 150 and above.

99105-20006	Replacement Filter
99105-20006-ASY	Complete Assembly
99105-20006-BWL	Bowl and Drain Valve Assembly



Water Separator/Fuel Filter

State-of-the-art filter removes water and other contaminants from the fuel before they reach your engine. It features a transparent removable bowl for easy viewing of fuel condition and a drain valve for water and other impurities. Due to the high flow rate capabilities of this filter system, a special large diameter thread is used. Use only Genuine Suzuki Replacement Filter 99105-20005. Applicable to all models, recommended 150 and up.

99105-20005	Replacement Filter
99105-20005-ASY	Complete Assembly
99105-20004-BWL	Bowl and Drain Valve Assembly



99105-20003 Bowl Wrench



Constructed of tough, lightweight, high-density polyethylene and made to CARB / EPA standards.

65000-99J01	3 Gallon Tank without Fuel Level Gauge, 11mm connector
65000-95J01	6.6 Gallon Tank with Fuel Level Gauge, 13mm connector

* not for use with DF 4/6 without fuel hose with pressure regulator. see dealer for details.

Fuel Connectors - Motor Side

Male connectors are located on the motor side, for fuel hose attachment.



65720-985L1 OD:11mm Plated Brass DT3.5 - 65



65720-95512 OD:13mm Plated Brass DT75 - 140A



65720-94403 OD:13mm Plastic DT4 - 65



65720-94411 OD:13mm Plastic DT75 - 140A



 65720-986L0
 Plastic
 DF4 - 140A

 65721-87D00
 OD:13mm Plastic (not shown) DT150 - 225

Fuel Hose Connectors

Quick connect and disconnect female fittings fit either hose end.



65750-98505 ID:11mm Metal for small diameter hoses



65750-93000 ID:13mm Metal for small diameter hoses



65750-95500 ID:13mm Metal for small diameter hoses



65750-94404 ID:13mm Plastic DT4 - 140A



65750-87J11 Plastic DF4 - 140A

Fuel Tank Connectors

Fuel tank connectors are available in stainless steel with metric thread and plated brass with 1/4" NPT.



65720-98590 OD:11mm Metric All Models



65740-95500 OD:13mm Metric



99105-00192 OD:11mm 1/4" NPT U.S. Tar



99105-00193 OD:13mm 1/4" NPT U.S. Tanks

PROPELLERS


Propeller selection is very important in the performance of your boat. Acceleration, speed, fuel efficiency, stability and engine RPM all are affected by the propeller selected. Operating requirements and conditions will also affect which design, style and pitch of propeller you may choose to meet your individual needs. The boat and engine combination may have already been tested by your dealer or the boat manufacturer for the appropriate propeller size. Your Suzuki Dealer can assist you with the process to determine the correct propeller for your application.

Stainless Steel Propellers


Suzuki Stainless Steel Propellers offer higher performance and greater durability than aluminum propellers. The aggressive design of these propellers enhances the overall performance of your boat and the durability of the stainless steel construction will give you long term dependability. Your Suzuki Stainless Steel propeller is also fitted with a rubber cushion hub to help absorb vibration and shock should you strike a

Propeller Sizing

When referring to propeller size, such as 3 x 13 x 18, the first number indicates the number of blades, the second number details the diameter of the propeller in inches and the third number is the pitch of the propeller in inches. The pitch is the most significant number in the description. The diameter is usually predetermined by the propeller engineers and is based on the size and series of



Pitch is used to describe the theoretical distance that a propeller "cork screws" through the water in inches of forward travel. In theory, an 18" pitch propeller would move ahead 18" with each complete revolution of a propeller. There is always some percentage of inefficiency as water conditions, boat weight and propeller style are introduced into the performance equation. The lower the "slip factor," the more efficiently the propeller will perform and the faster the speed at a given engine RPM. Lower pitches accelerate faster, but have a lower top end speed. Higher pitches have a slower acceleration, but may attain higher top speeds. An inch of pitch generally is equal to 150 - 200 engine RPM at wide open throttle (WOT). If pitch is increased by an inch, RPM will decrease by 150 - 200 RPM at WOT. If pitch is decreased by an inch, RPM will increase by 150 - 200 RPM at WOT. Always operate your boat/engine combination within the recommended RPM range guidelines as stated in your operator's manual. Operating outside the recommended range can cause severe damage to your engine and may void the engine warranty



Propeller Cup

Cup is used to reduce the slip and ventilation of the propeller. This will allow you to operate your engine at a higher transom mounting and allow you to use more trim for bow lift. The cup refers to the area along the trailing edge of the propeller blade that has an increased pitch in the last 1/2" of the blade surface and extends to the blade tip.

Rake is described as the angle, in degrees, that the propeller blades are mounted to the "barrel" of the propeller. The blades of a zero degree rake propeller are mounted perpendicular to the "barrel" of the propeller. The blades of a higher rake propeller angle more to the rear of the propeller. A propeller with a high rake design will hold the water on the blades longer during operation and will ventilate less at higher engine heights. High rake propellers will produce higher thrust that will help lift the bow of the boat more effectively.



Propeller Lock

Theft protection for your boat's propeller, in and out of the water. Constructed of naval brass and stainless steel for long life. Easy to install. Also fits counter rotation models.

99105-30003 DF40 - 300AP



Propeller Hardware Kits

Includes the spacer, cotter key, washer and nut to secure the propeller to the shaft. Great for tackle or

57630-99J00	DF9.9A
57630-93900	DF9.9B
57630-96300	DF25/30
57630-94300	DF40/50/60A
57630-94500	DF60/70 with V-Style
57630-90J00	DF50AV/60AV
	DF70A/90A
	DF90 - 140
57630-92E00	DF150 and up and V-6 Models

Diameter

Diameter

Diameter is considered to be the distance across an imaginary circle that is made when a propeller is rotated. Diameter is determined during the engineering process of designing a propeller and is usually based on requirements to meet the needs of engine size, gear case design, horsepower and speed.

DF4/6 (Optional '03-'10)

Material	Blades	Diameter	Pitch	Part Number	DF4	DF6
Aluminum	3	7-1/2	6	58110-91JL0-019	'04-CURR	'04-CURR
Aluminum	3	7-1/2	6-1/2	58110-91JM0-019	'04-CURR	'04-CURR
Aluminum	3	7-1/2	7	58110-91JN0-019	'04-CURR	'04-CURR
Aluminum	3	7-1/2	6	58111-98602-019	'03	
Aluminum	3	7-1/2	6-1/2	58111-98641-019	'03	
Aluminum	3	7-1/2	7	58111-98651-019	'03	

Diameter and pitch are measured in inches. ■=Optional. Refer to the Bushing Application Chart.

DF9.9/15/20

Material	Blades	Diameter	Pitch	Part Number	DF9.9	DF15/20
Aluminum	3	9-1/4	7	58100-89L00-019		
Aluminum	3	9-1/4	8	58100-90L40-019		
Aluminum	3	9-1/4	9	58100-90L50-019		
Aluminum	3	9-1/4	10	58100-90L60-019		
Aluminum	3	9-1/4	11	58100-89L40-019		
Aluminum	3	9-1/4	12	58100-89L50-019		
Aluminum	3	9-1/4	10	58100-90L21-019		
Aluminum	4	10	5	58100-94JA1-019		

Diameter and pitch are measured in inches. ■=Optional.



DF9.9B/15A/20A

Material	Blades	Diameter	Pitch	Part Number	DF15A/20A
Aluminum	3	9-1/4	8	58100-90L40-019	
Aluminum	3	9-1/4	9	58100-90L50-019	
Aluminum	3	9-1/4	10	58100-90L60-019	
Aluminum	3	9-1/4	11	58100-89L40-019	
Aluminum	3	9-1/4	12	58100-89L50-019	

Diameter and pitch are measured in inches. ■=Optional.

DF25A/30A

Material	Blades	Diameter	Pitch	Part Number	DF25A/30A
Aluminum	3	10-1/4	9	58100-96372-019	
Aluminum	3	10-1/4	10	58100-96411-019	
Aluminum	3	10-1/4	10	58100-96472-019*	
Aluminum	3	10-1/4	11	58100-96421-019	
Aluminum	3	10-1/4	12	58100-96482-019	
Aluminum	3	10-1/4	13	58100-96491-019	
Aluminum	3	10-1/4	14	58100-95D01-019	
Aluminum	3	10-1/4	15	58100-96462-019	

Diameter and pitch are measured in inches. ■=Optional.

*Thicker Blade

DF60/70

Material	Blades	Diameter	Pitch	Part Number	'98 - '09
Aluminum	3	14	11	58100-99E10-019	
Aluminum	3	13-3/4	13	58100-99E00-019	
Aluminum	3	13-1/2	15	58100-94500-019	
Aluminum	3	13-1/4	17	58100-94512-019	
Aluminum	3	13	19	58100-94522-019	
Aluminum	3	13	21	58100-94532-019	

Diameter and pitch are measured in inches. Extremely durable stainless steel propellers especially designed for high performance boats.

=Optional. Type V Cupped aluminum propeller with pressin bushing



Propeller Bushing Application

Applications		Bushing Type	Bushing	Stopper	Spacer	Washer	Nut
DF4	'03 Models	Push-In	58120-98600				58130-91JL0
DF4	'04 - Current Models	Press-In	58120-91JL0	57635-91JL0			58130-91JL0
DF6	'03 - Current Models	Press-In	58120-91JL0	57635-91JL0			58130-91JL0
DF9.9/9.9A/9.9B/15/15A/20A	1	Press-In	58120-89L00	57632-94J00	57633-93901	09160-12066	09141-12005
DF25/30	'00 - Current Models	Press-In	58120-96401	57632-96400	57633-96300	09160-14028	09141-14008
DF25 V-Twin		Press-In	58120-96401	57632-95J00	57633-96300	09160-14028	09141-14008
DF40/50		Press-In	58120-88L01	57632-95320	57633-94300	09160-18028	09141-18005
DF40A/50A/60A	'10 - Current Models	Press-in	58120-88L01	57632-95320	57633-94300	09160-18028	09141-18005
DF60/70		Press-In	58120-95500	57635-95510	57633-95501	09160-18028	09141-18005
DF60/70		Press-In	58120-94520	57635-94511	57633-94500	09160-18028	09141-18005
DF70A/90A	'09 - Current Models	Press-In	58120-90J00	57632-87L00	57633-90J02	09160-18028	09141-18005
DF90/115/140A		Press-In	58120-90J00	57635-90J01*	year specific	09160-18028	09141-18005
DF90/115/140A	'01 - '02 Models	Press-In	58120-90J00	57635-90J01*	57633-90J02	09160-18028	09141-18005
DF90/115/140A	'03 - '08 Models	Press-In	58120-90J00	57635-90J01*	57633-90J02	09160-18028	09141-18005
DF115/140A	Counter Rotation Models	Press-In	58120-90J00	57635-92J01*	year specific	09160-18028	09141-18005
DF150/175/200/200A/225/2	50/250AP/300/300AP	Press-In	58105-93J00	57632-93J11	57633-87D30	09160-18028	09141-18005
DE250SS		Press-In	58105-93110	57632-93121	57633-87D30	09160-18028	09141-18005

*Uses Spacer For Stopper, 57632-90J00

DF40A/60A

Material	Blades	Diameter	Pitch	Part Number	'99 - CURR
Aluminum	3	11-1/2	9	58100-88L03-019	
Aluminum	3	11-1/2	10	58100-88L13-019	
Aluminum	3	11-1/2	11	58100-88L23-019	
Aluminum	3	11-5/8	12	58100-88LA0-019	
Aluminum	3	11-1/2	13	58100-92L30-019	
Aluminum	3	11-3/8	14	58100-88L52-019	
Aluminum	3	11-1/4	15	58100-88L62-019	
Aluminum	3	11-1/8	16	58100-88L72-019	
Aluminum	3	11	17	58100-88L83-019	
Stainless Steel	3	11-3/4	10	990C0-00600-10P	
Stainless Steel	3	11-3/4	11	990C0-00600-11P	
Stainless Steel	3	11-3/4	12	990C0-00600-12P	
Stainless Steel	3	11-3/4	13	990C0-00600-13P	
Stainless Steel	3	11-3/4	14	990C0-00600-14P	
Stainless Steel	3	11-3/4	15	990C0-00600-15P	
Stainless Steel	3	11-3/4	16	990C0-00600-16P	
Stainless Steel	3	11-3/4	17	990C0-00600-17P	

Diameter and pitch are measured in inches. ■=Optional.

DF50AV/60AV/70A/90A/115/115A/140/140A

•					
Material	Blades	Diameter	Pitch	Part Number	'09 - CURR
Aluminum	3	14	9	58100-87LG1-019	
Aluminum	3	14	11	990C0-00750-11P	
Aluminum	3	14	13	990C0-00750-13P	
Aluminum	3	13-7/8	15	990C0-00750-15P	
Aluminum	3	13-3/4	17	990C0-00750-17P	
Aluminum	3	13-3/4	19	990C0-00750-19P	
Aluminum	3	13-3/4	21	990C0-00750-21P	
Aluminum	3	13-3/4	23	58100-87LF0-019	
Aluminum	3	13-1/2	15	990C0-00760-15P	
Aluminum	3	14	17	990C0-00760-17P	
Aluminum	3	14	19	990C0-00760-19P	
Aluminum	3	14	21	990C0-00760-21P	
Aluminum	3	14	23	990C0-00760-23P	
Stainless Steel	3	14	15	990C0-00610-15P	
Stainless Steel	3	14	16	990C0-00610-16P	
Stainless Steel	3	14	17	990C0-00610-17P	
Stainless Steel	3	14	18	990C0-00610-18P	
Stainless Steel	3	14	19	990C0-00610-19P	•
Stainless Steel	3	14	20	990C0-00610-20P	•
Stainless Steel	3	14	21	990C0-00610-21P	
Stainless Steel	3	14	22	990C0-00610-22P	_
Stainless Steel	3	14	23	990C0-00610-23P	
Stainless Steel	3	14	24	990C0-00610-24P	•
Stainless Steel	3	14	25	990C0-00610-25P	•
Stainless Steel	3	14	26	990C0-00610-26P	•

Counter Rotation Models

Material	Blades	Diameter	Pitch	Part Number	'09 - CUR
Stainless Steel	3	14	15	990C0-0061L-15P	
Stainless Steel	3	14	16	990C0-0061L-16P	
Stainless Steel	3	14	17	990C0-0061L-17P	
Stainless Steel	3	14	18	990C0-0061L-18P	
Stainless Steel	3	14	19	990C0-0061L-19P	
Stainless Steel	3	14	20	990C0-0061L-20P	
Stainless Steel	3	14	21	990C0-0061L-21P	
Stainless Steel	3	14	22	990C0-0061L-22P	
Stainless Steel	3	14	23	990C0-0061L-23P	
Stainless Steel	3	14	24	990C0-0061L-24P	
	Stainless Steel	Stainless Steel 3	Stainless Steel 3 14 Stainless Steel 3 14	Stainless Steel 3 14 15 Stainless Steel 3 14 16 Stainless Steel 3 14 17 Stainless Steel 3 14 18 Stainless Steel 3 14 19 Stainless Steel 3 14 20 Stainless Steel 3 14 21 Stainless Steel 3 14 22 Stainless Steel 3 14 23	Stainless Steel 3 14 15 990C0-0061L-15P Stainless Steel 3 14 16 990C0-0061L-16P Stainless Steel 3 14 17 990C0-0061L-17P Stainless Steel 3 14 18 990C0-0061L-18P Stainless Steel 3 14 19 990C0-0061L-19P Stainless Steel 3 14 20 990C0-0061L-20P Stainless Steel 3 14 21 990C0-0061L-21P Stainless Steel 3 14 22 990C0-0061L-22P Stainless Steel 3 14 23 990C0-0061L-23P

Diameter and pitch are measured in inches. ■=Optional.

				20	Z
DF150/150AF	P/175/17	/5AP/200/2	00A/200	AP/300/300AP	
Material	Blades	Diameter	Pitch	Part Number DF150 -	- 300
Stainless Steel	3	15-1/2	17	990C0-00830-17P	
Stainless Steel	3	15-1/4	19	990C0-00830-19P	
Stainless Steel	3	15	21	990C0-00830-21P	
Stainless Steel	3	14-3/4	23	990C0-00830-23P	
Stainless Steel	3	14-1/2	25	990C0-00830-25P	
Stainless Steel	3	14-1/2	27	990C0-00830-27P	
Stainless Steel	3	16	17	990C0-00800-17P	
Stainless Steel	3	16	18-1/2	990C0-00800-185	
Stainless Steel	3	16	20	990C0-00800-20P	
Stainless Steel	3	16	21-1/2	990C0-00800-215	
Stainless Steel	3	16	23	990C0-00800-23P	
Stainless Steel	3	16	24-1/2	990C0-00800-245	
Stainless Steel	3	16	26	990C0-00800-26P	
Stainless Steel	3	16	27-1/2	990C0-00800-275	
Stainless Steel	4	14 1/4	17	990C0-00622-17P	
Stainless Steel	4	14-1/4	18	990C0-00622-18P*	
Stainless Steel	4	14-1/4	19	990C0-00622-19P*	
Stainless Steel	4	14-1/4	20	990C0-00622-20P*	
Stainless Steel	4	14-1/4	21	990C0-00622-21P*	
Stainless Steel	4	14-1/4	22	990C0-00622-22P*	
Stainless Steel	4	14-1/4	23	990C0-00622-23P*	
Stainless Steel	4	14-1/4	24	990C0-00622-24P	
Stainless Steel	4	14-1/4	25	990C0-00622-25P*	
Stainless Steel	4	14-1/4	26	990C0-00622-26P*	
Stainless Steel	4	14-1/4	27	990C0-00622-27P*	
Stainless Steel	4	14-1/4	28	990C0-00622-28P*	
Stainless Steel	4	15-1/4	20	58300-93J10	
Stainless Steel	4	15-1/4	22	58300-93J20	
Stainless Steel	4	15-1/4	24	58300-93J30	

*Uses Propeller Bushing 990C0-99600

58300-93J40

Counter Rotation Models

15-1/4

Stainless Steel

Material	Blades	Diameter	Pitch	Part Number	DF150 - 300AP
Stainless Steel	3	15-1/2	17	990C0-0083L	-17P ■
Stainless Steel	3	15-1/4	19	990C0-0083L	-19P ■
Stainless Steel	3	15	21	990C0-0083L	-21P ■
Stainless Steel	3	14-3/4	23	990C0-0083L	-23P ■
Stainless Steel	3	14-1/2	25	990C0-0083L	-25P ■
Stainless Steel	3	14-1/2	27	990C0-0083L	-27P ■
Stainless Steel	3	16	17	990C0-0080L	-17P ■
Stainless Steel	3	16	18-1/2	990C0-0080L	-185 ■
Stainless Steel	3	16	20	990C0-0080L	-20P ■
Stainless Steel	3	16	21-1/2	990C0-0080L	-215 ■
Stainless Steel	3	16	23	990C0-0080L	-23P ■
Stainless Steel	3	16	24-1/2	990C0-0080L	-245 ■
Stainless Steel	3	16	26	990C0-0080L	-26P ■
Stainless Steel	4	15-1/4	20	58300-93JA0	•
Stainless Steel	4	15-1/4	22	58300-93JB0	
Stainless Steel	4	15-1/4	24	58300-93JC0	•
Stainless Steel	4	15-1/4	26	58300-93JD0	-

26

Diameter and pitch are measured in inches. \blacksquare =Optional.

DF250SS

Material	Blades	Diameter	Pitch	Part Number	DF250SS
Stainless Steel	4	14.5	26	990C0-00630-26P*	
Stainless Steel	4	14.5	27	990C0-00630-27P*	
Stainless Steel	4	14.5	28	990C0-00630-28P*	
Stainless Steel	4	14.5	29	990C0-00630-29P*	
Stainless Steel	4	14.5	30	990C0-00630-30P*	

Diameter and pitch are measured in inches. ■=Optional.

*Uses Propeller Bushing 990C0-99600

REPAIR KITS &



DF40/50 '99 **-** '10 DF40A/50A/60A '10 - Current



55125-98J10 DF250SS '08 - Current

Zinc Anodes For Saltwater Use Only

DF60/70

DF9.9/15

DF90-140

55125-98J00-0EP DF200/225/250/300 Trim Tab

'98 - '01

'98 - Current

11281-94400

55321-90L00

55125-90J01





55125-92J00 DF115/140



DF25 V-Twin '06 - Current

55300-95500 DF40A/50A/60A '10 - Current





55320-95311 DF25 /30 **'**00 – **'**07 DF40/50 ·99 - ·08 DF40A/50A/60A '10 - Current DF60/70 '06 - Current DF200/225/250/300 '04 - Current



55321-90J01 DF60-140 '98 - '08



55321-93900 DE9 9/15 '97 - '08			
57 00	55321-93900	DF9.9/15	'97 - '08



water Pump	Repair Kit	
Four Stroke		
17400-986L1	DF4/6	'02 - '10
	DF4/6	'11 - Current
17400-99J01	DF9.9A	'10 - Current
17400-94J00	DF9.9/15	'07 - Current
17400-93951	DF9.9/9.9B/15/15A/20A	'97 – '06
17400-96353	DF25/30	'00 - '07
	DF40/50	'99 - '10
17400-94L00	DF25A/30A	'14 - Current
17400-95J02	DF25 V-Twin	'06 - Current
17400-99E01	DF60/70	'07 - '10
17400-87E04	DF60/70	'98 – '06
17400-88L00	DF40A/50A/60A	'10 - Current
17400-99E10	DF60AVT	
17400-87L01	DF70A/80A/90A	'09 - Current
17400-92J00	DF90/115/140	'06 - '08
17400-90J20	DF90/115/140	'01 - '05
17400-92J21	DF100A/115/115A/140A/150)AP/175AP
		'09 - Current
17400-96J02	DF150/150G/150AP/175/175G/2	175AP/200A/200AP
		'06 - Current
17400-93J02	DF200/225/250	'04 - Current
17400-98J01	DF250SS	'08 - Current
	DF300/300AP	'07 - Current
Two Stroke		
17400-98652	DT4	'84 - '98
	DT5	'99 – '02
17400-98551	DT6	'84 - '02
	DT8	'86 - '97
	DT9.9	'85 - '87
	DT15C	'89 - '97
	DT15	'83 - '88
17400-92D01	DT8C/9.9C	'88 - '97
17400-96403	DT25C	'89 - '00
	DT30C	'88 - '97
17400-96353	DT20	'86 - '88
	DT25	'84 - '88
	DF25/30	'00 - '07
	DT30	'84 - '87
	DT35/40C	'83 - '98
17400-94701	DT55/65	'85 - '97
17400-95351	DT75/85	'85 - '00
17400-94611	DT115/140	'86 - '01
17400-94553	DT115/140	'83 - '85
	V6 2-Stroke Models	'86 - '03

Gaar	Case	Casl	Vi+

25700-95D01	DF25/30 (except V-Twin)	
25700-95J00	DF25 V-Twin	All
25700-88L00	DT40C/DF40/50/40A/50A/60A	All
25700-87E00	DF60/70 and V4 Models	'89 - '00
25700-99E00	DF60/70	'01 - '10
25700-87L00	DF70A/90A	'09 - Current
25700-90J01	DF90/115	All
25700-92J00	DF140	All
25700-93J00	DF150/175/ 200/225/250	All
25700-98J00	DF250SS/300	All
25700-93L00	DF250AP/300AP	All
25700-95D01	DT25C/30C	All
25700-94700	DT55/65	All
25700-95501	DT75/85	All
25700-94500	DT115/140	All
25700-87D00	V6, 2-Stroke Models	'89 - '03



13910-89J01	DF25/30 (except V-Twin)	All
13910-95D00	DT25/30C	All
13910-94400	DT40/65/85/140	All
13910-94701	DT55/75/115	All
13910-87D00	V6, 2-Stroke Models	All

Magnesium Anodes For Freshwater Use Only



55321-87J10	DF8A/9.9A	'10 - Current
	DF25 V-Twin	'06 - Current
	DF40A/50A/60A	'10 - Current
	Df70A/90A	'09 - Current
	DF90/115	'01 - '08
	DF115	'09 - Current
	DF140	'02 - Current
	DF150/175	'06 - Current
	DF200/225/250	'04 - Current
	DF300	'07 - Current



55321-94910	DF60 thru 140	'01 - '10
	DF150/175/200/	
	225/250/300	'06 - Curren

Aluminum Anodes For Brackish And/Or Saltwater



55321-87J01	All Models	All Years



55125-95500



55125-93L00-0EP	DF250AP/300AP	'13 - Current



MAINTENANCE KIT SUZUE MAINTENANCE KIT SUZUE SUZUE SUZUE SUZUE SUZUE



Marine Maintenance Kits

Suzuki Genuine Parts & Accessories is excited to introduce our new Marine Maintenance Kits. These all inclusive kits contain everything necessary for performing the recommended service. We are offering 12 individual kits that are application-specific for each engine category.

0 0,	
Outboard	Part Number
DF2.5 (2006-2011)	17400-97820
DF2.5	17400-97810
DF4A/6A	17400-91890
DF4/6 (2002-2010)	17400-91860
DF4/6	17400-91830
DF8A/9.9A	17400-99840
DF9.9/15 (2011-2013)	17400-94810
DF9.9B/15A/20A	17400-89810
DF 25/30 (2001-2010)	17400-89820
DF25 V-Twin	17400-95870
DF25A/30A	17400-94820
DF40/50 (Late 2006-2010)	17400-87820
DF40A/50A/60A	17400-88810
DF60 (Late 2009)	17400-99850
DF50AV/60AV	17400-88820
DF60/70 (2008- Early 2009)	17400-99860
DF60/70 (2007)	17400-99870
DF70A/80A/90A	17400-87810
DF115 (2010-2012)	17400-92840
DF115A/140A/115SS	17400-92821
DF140 (2010-2012)	17400-92850
DF150/175/150SS	17400-96821
DF150AP/175AP/200A/200AP	17400-96830
DF200/200H/225/250	17400-93851
DF250A/300A/300AP/250SS	17400-98861

it Contents***	Oil Filter
	Spark Plugs
	Water Pump Kit
	Fuel Filter
	Water Pump Case Sleeve
	Anodes
	Cotter Pin
	Gaskets
	O-Ring

***Kit contents will vary slightly depending on the



Marine 4-Cycle Engine Oil

Premium synthetic blend 4-cycle engine oil is formulated to provide superior lubrication and protection for your four-stroke outboard engine. It also protects internal engine parts from rust and corrosion in harsh marine environments. See chart for recommended oil filter and capacities.

990C0-10W40-QUA	1 QT. Bottle	12/Case	
990C0-10W40-GLN	1 GL Bottle	4/Case	
990C0-10W40-DRU	55 Gallon Drum		

Dealers: Engine Oil must be ordered separately from all Parts and Accessories. See Suzuki Connect for instructions.

Oil Filters And Capacities

· · · · · · · · · · · · · · · · · · ·		Oil Capacity	Oil Capacity
Models	Filter Part Number	w/out Filter L/QT	w/Filter L/QT
DF9.9/15 '96 - '10	16510-05240*	1.0/1.1	1.1/1.2
DF9.9T/9.9TH/9.9B/15/15A/20A '11 ~ Current	16510-45H10	1.0/1.1	1.1/1.2
DF9.9A	16510-05240	.8/.85	.9/.95
DF25/30	16510-87J00	1.5/1.6	1.6/1.7
DF25V-Twin	16510-87J00	1.5/1.6	1.8/1.9
DF25A/30A	16510-87JL0	3.0/3.2	3.2/3.4
DF40/50	16510-87J00	2.2/2.3	2.4/2.5
DF60/70	16510-87J00	4.5/4.8	4.8/5.1
DF40A/50A/60A	16510-87J00	2.7/3.0	2.9/3.2
DF70A/90A '09 -'10	16510-61A20-MH	L 4.2/4.0	4.4/4.7
DF70A/90A '11 ~ Current	16510-61A31	4.2/4.0	4.4/4.7
DF90/115	16510-61A20-MH	L 5.5/5.8	5.7/6.0
DF115A/140A	16510-61A31	5.5/5.8	5.7/6.0
DF140	16510-82703	5.5/5.8	5.7/6.0
DF150/175/200A	16510-96J00	8.0/8.5	8.5/9.0
DF200/225/250 ~ '07	16510-96J00	8.0/8.5	8.2/8.7
DF200/225/250/300	16510-96J00	8.0/8.5	8.2/8.7

*Also replace drain plug "O" Rings 09280-54001 & 09280-13004

Recommended Oil Change Periods

1st 20 hours	Every 100 hours	Every 200 hours
Oil & Filter	Oil	Oil & Filters

Oil Change Necessities

Models	Drain Plug	Drain Plug
Gasket		
DF2.5	09248-10008	09168-10022
DF4/6	09248-10008	09168-10022
DF9.9A	09248-12009	09168-12017
DF9.9B/15A/20A	09248-12009	09168-12017
DF25/30	09248-12009	09168-12012
DF25 V-Twin	09248-12009	09168-12012
DF25A/30A	09248-12009	09168-12017
DF40A/50A/60A	09248-12009	09168-12012
DF70A/90A	09248-12009	09168-12012
DF90/115/115A/140/140A	09248-12009	09168-12012
DF150/175/200A	09248-12009	09168-12012
V6 Models	09248-12009	09168-12012





Suzuki's new Genuine Oil,

ECSTAR

will be available late Spring of 2017



Bulk Oil Filters

All Bulk Packs contain 24 oil filters. They are not individually wrapped.

Only meant for service departments, not resale

Bulk Pack Part Number	Oil Filter Part Number
16510-61831-B24	16510-61A31
16510-82803-B24	16510-82703
16510-87800-B24	16510-87J00
16510-96800-B24	16510-96J00





990C0-99001

Spark Plugs

Models	Part Number	Spark Plug
DF2.5	09482-00406	CR6HSA
DF4/6 - '03 - '10	09482-00299	BPR6ES
DF4/6 - '11 ~	09482-00L04	CR6EEA-9
DF9.9A	09482-00528	CR6E
DF9.9/15 - up to '04	09482-00446	DCPR6E
DF9.9/15 - '04-'10	09482-00427	BKR6E
DF9.9/15 - '11 ~	09482-00L04	CPR6EA-9
DF25A/30A	09482-00446	DCPR6E
DF25 V-TWIN	09482-00427	BKR6E
DF40/50	09482-00446	DCPR6E
DF60/70	09482-00299	BPR6ES
DF40A/50A/60A	09482-00446	DCPR6E
DF70A/90A	09482-00446	DCPR6E
DF90/115/140	09482-00427	BKR6E
DF150/175	09482-00427	BKR6E
DF200A/200AP	09482-00649	LKR6E
DF200/225/250	09482-00427	BKR6E
DF250SS	09482-00427	BKR6E
DF300	09482-00427	BKR6E

Gear Oil Capacity

<u> </u>		
		Gear Case Oil
Model	Capacity (cc)	Capacity (oz)
DF4/6	190 ml.	6.4 oz.
DF9.9/15	175 ml.	5.9 oz.
DT9.9/15/15C	170 ml.	5.7 oz.
DF25/30	230 ml.	7.8 oz.
DF25V-Twin	420 ml.	14.2 oz.
DF40A/50A/60A/40/50	610 ml.	20.6 oz.
DF60/70	1050 ml.	35.5 oz.
DF70A/90A	850 ml.	28.7 oz.
DF90/115/140	1050 ml.	35.5 oz.
DF150/175/200/225/250/250	S 1100 ml.	37.2 oz.
DF300	1100 ml.	37.2 oz.
DT2/2.2 (Short Shaft)	70 ml.	2.4 oz.
DT2/2.2 (Long Shaft)	120 ml.	4.0 oz.
DT3.5	85 ml.	2.9 oz.
DT4	190 ml.	6.4 oz.
DT5/6/8	240 ml.	11.5 oz.
DT8C/9.9C/9.9CN	175 ml.	5.9 oz.
DT20/25/30/30C/35C	230 ml.	7.8 oz.
DT40	610 ml.	20.6 oz.
DT50/55/60/65	650 ml.	22.0 oz.
DT75/85	700 ml.	23.7 oz.
DT90/100	560 ml.	18.9 oz.
DT115/140	1100 ml.	37.2 oz.
DT150/175/200/225	1050 ml.	35.5 oz.

Hypoid Gear Oil

Hypoid gear oil is formulated to Suzuki specifications. Available in two convenient sizes: 1 quart bottle and 5 gallon bucket. See chart for recommended gear oil

990A0-01E80-01Q	1 Quart	12/Case
990A0-01E80-05Q	5 Gallon Bucket	

Drain Plug Sealing Gasket

59178-97J00	25/30A
09168-10022	40-140A (excluding 70/90)
09168-10034	70/90A, 150-300



Fuel Conditioner & Water Remover

Fuel Conditioner keeps stored fuel fresh for long periods of time.

990A0-02E30-12Z 12 Fluid oz. Bottle 12/Case



Fuel Injector Cleaner

Suzuki Fuel Injector Cleaner keeps injectors clean and corrosion-free for maximum power. Dissolves gum

990A0-02E25-12Z 12 Fluid oz. Bottle 12/Case

Flush Hose Attachment

See Owners manual or service manual on how to use the flush attachments.

55181-95200 All 2 Stroke Models

DF4 thru DF15 4 Stroke Models



Suzuki Super Grease

Multi Purpose, lithium grease is heat and water resistant, anti-wear.

99000-25030



BUZUKI OUTBOARD MOTOR

Water Resistant Grease

Use on oil seal lips, links and joints of the engine that are below the waterline.

99000-25350 8.8 oz. Tube



Silicone Seal

A clear adhesive sealer with a silicone base.

93691-80030 3.5 oz. Tube



Suzuki Bond 1207B

1207B is used for sealing crankcases due to its outstanding resistance to heat and oil.

990A0-06E70-03Z 3.5 oz. Tube









Thread Locks

Prevents nuts and bolts from vibrating loose. Made with the same compounds used to assemble Suzuki Products at the factory. Four strengths for different applications. Easy to use and store in individual 10cc containers with different colors for quick identification.

990A0-06E33-10C	1333B Medium Strength Bearing and Stud Lock
990A0-06E03-10C	1303 High Strength Retaining Type
990A0-06E42-10C	1342 Low Strength Frequent Repair
990A0-06E60-10C	1360 Medium Strength High Temperature Type

MAINTENANCE AND CARE





Spray Cleaner & Polish

Suzuki Spray Cleaner & Polish is the ultimate "detailer in a can". It cleans dirt, road contaminants, bugs, water spots and shipping preservatives without water, leaving a "showroom shine" that helps to protect against UV damage, ozone and dirt accumulation. *Not for Matte Black Finish on SS Models.

990A0-04E06-05Z	5 Fluid oz.	12/Case
990A0-04E06-14Z	14 Fluid oz.	12/Case



Suzuki Performance

Low VOC Brake Cleaner

Blasts away brake fluid, dirt and contaminants quickly and easily with no residue. Helps stop annoying brake squeal and chatter. Cleans disc and drum assemblies, including springs, rotors and pads. Also works great on your boat trailer!

990A0-04E15-14Z 14 oz. Can



If you need touch up paint for your outboard, please visit www.colorrite.com

visit www.ooronitec.oom.	
Outboard	Code
Black Outboards (Except SS Models)	OEP
Nebular Black	YAY
Cool White Outboards	Y5S
2 Stroke Charcoal	OED





Engine Covers

Custom fit Engine Covers feature Sunbrella® UV resistant, water repellent fabric and silk screened Suzuki graphics.

990C0-65012	DF2.5	
990C0-65013	DF4A/6A	
990C0-65014	DF9.9A/9.9B/15A/20A	2012 - Current
990C0-65009	DF25A/30A	
990C0-65015	DF40A/50A/60A	2011 - Current
990C0-65001	DF40/50	2010 and prior
990C0-65016	DF70A/90A	2009 - Current
990C0-65010	DF115A/140A	2012 - Current
990C0-65004	DF140	2002 - 2011
990C0-65006	DF150/175	2006 - Current
990C0-65005	DF225/250/250T	Will not fit DF250AP
990C0-65011	DF200A/175AP/150AP	Will not fit DF150/175
990C0-65008	DF250AP/300/300AP	2007 - Current



ULTIMATE

SUZUKI

100% Ringspun Cotton. Screenprinted logo on front.

990A0-16243-___ Black SML, MED, LRG, 1XL, 2XL

Blue SML, MED, LRG, 1XL, 2XL

SUZUKI Logo Tee

990A0-16242-___

Suzuki Marine Visor

A traditional adjustable Velcro strap blue visor, features white embroidery of the Suzuki Marine and Ultimate 4-Stroke

990C0-17002 Blue

Velcro Back



Suzuki Contrast Hat

Adjustable

Flex Fit Suzuki Hat. Order in quantities of 3.

990A0-17145 Black





3D Red "S" Gradation Cap

Flex Fit X-Cap with 3D Red "S" Logo. Order in quantities of 3.

990A0-17107

Red One Size Fits Most



3D Blue "S" Gradation Cap Flex Fit X-Cap with 3D Blue "S" Logo.

Order in quantities of 3.

990A0-17108

Blue One Size Fits Most



Suzuki "S" bio washed cotton cap, low profile with contrast stitching, adjustable fabric strap closure. Order in quantities of 3.

990C0-17122 Navy Blue

Adjustable



Suzuki Sideways Hat

3-D Embroidered Suzuki Logo



Suzuki Wallet

Men's bi-fold durable faux PU leather. Features an embossed Suzuki logo.

990A0-19211 Black



Suzuki Logo'd

Bio Washed Cotton Navy Cap

BioWashed Cotton low profile cap - adjustable fabric strap closure. Order in quantities of 3.

990A0-17116 Navy Adjustable





Men's bi-fold durable faux PU leather. Features an embossed Suzuki logo.

990C0-16171-___ White SML, MED, LRG, 1XL, 2XL

Camo Life

100% Ringspun Cotton. Screenprinted on front and right sleeve.

SUZI

990A0-16238-_ Olive SML, MED, LRG, 1XL, 2XL



Ladies '86

Stripe

52% Ringspun Cotton, 48% Polyester. Screenprint on front

990A0-16212-___ Blue SML, MED, LRG, 1XL, 2XL

100% Cotton. Tagless neck lable, screenprint on front. **990A0-16224-**___ Gray SML, MED, LRG, 1XL, 2XL

Suzuki Polo

Polyester polo features embroidered Suzuki logo on left chest

990A0-18097-___ Black MED, LRG, XLG, XXL **990A0-18099-___** Blue MED, LRG, XLG, XXL



MARINE

STYLE





Suzuki Alloy Hoodie

2 tone gray/black full zip with Suzuki embroidered patch on chest and right arm.

990A0-15064-___ Black/Grey

SML, MED, LRG, 1XL, 2XL



Suzuki League Hoodie

Suzuki embroidered blue/gray hoodie.

990A0-15065-__ Blue/Grey SML, MED, LRG, 1XL, 2XL



Soft 16 oz. microfiber velour. 15" X 22" size folds up neatly for easy packing.

990A0-19210



2GB Flash Drive with swivel and lanyard.

990A0-99181 Sold in quantities of 5



Suzuki Mouse Pad

Thick, soft mouse pad with sublimated Suzuki



Suzuki Key Fobs

Made of flexible rubber, key fob features the Suzuki Corporate Logo. Dealers order in packs of three.

990A0-19113 Suzuki 'S' Logo **990A0-19111** Suzuki Logo





Suzuki Flash Drive

990A0-19207



SURW

SUZUKI

Suzuki Coffee Mug

This 16 oz mug features an extra large comfort-grip handle..

990A0-99184



Keep your favorite drink cold in this Suzuki can koozie! Sublimated Suzuki Logo resists fading or chipping.

990A0-19206



22oz. plastic cup features Suzuki logo. Dealers order in packs of 5.

990A0-99017



Suzuki Shelter

Protect yourself and your gear from the elements while outside. These canopies feature durable canvas covers, aluminum grames, and silk screened Suzuki branding. When you're ready to pack it up for the day, simply fold it down and store them in their own canvas carring case.

990A0-99277



Perfect for any garage or shop, Suzuki branded tables feature chrome plated steel tubing and melamine coated tops.

990A0-96383

Suzuki Logo Stool

Dress up your garage or shop with these comforatable padded stools. Each stool is covered in an easy to clean vinyl material and features Suzuki branding and are constructed using chrome plated steel tubing

990A0-95525



MARINE STYLE

SUZUKI

SELECTION



Protect yourself from the weather with a Suzuki umbrella.

SUZUK

990A0-99178

990A0-13020

and comfort.

Suzuki Rain Poncho

Ponchos are 100% made in the USA with a proprietary polyethylene blend that is durable,

yet economical. Features an oversized hood and

White

an adjustable drawstring for superior dryness

PROMOTIONAL

Suzuki Circuit Backpack

The Suzuki Circuit Backpack features an airport checkpoint-friendly laptop compartment that fits most 15" laptops, plus padded tablet sleeve. Large main compartment and dual side mesh water bottle pockets. Deluxe extruded aluminum handle. Breathable padded back panel.

990A0-19082



Suzuki

OGIO 9800 Gearbag

Ideal for travel around the country, this gear bag has plenty of capacity for your gear and features OGIO's SLED system for strength and durability.

cooler bag. Includes a convientent

shoulder for easy carrying. This

cooler will hold 9 standard 12oz

990A0-19091

990A0-19075



SUZUKI

Charge many CHARGE STREET

Suzuki Merchandise Bags

Available in your choice of paper or plastic with Suzuki graphics in 500 piece packages.

99950-19371	Paper	12" H x 6" W
99950-19372	Plastic	13" H x 12" W



Suzuki String Pennant

SUZUKI.

50 foot string pennants are made with a durable 4mm vinyl

990A0-99303-WHT 50' String Pennant





Vinyl Banner

Suzuki banners are a great way to increase the presence of Suzuki in and outside of your dealership. They are also great for events.

990A0-99301-WHT	4' x 20'
990A0-99302-WHT	3'x10' Banner

S MUSEUMO







Suzuki Logo Decals

Suzuki decals are made with durable 15 mil, UV resistant coated vinyl decals. All decals are sold in QTYs of 1.

990A0-99290-006	6"
990A0-99290-012	12"
990A0-99290-024	24"
990A0-99290-048	48"



"S" Logo Sheet

Suzuki "S" decal sheet, features various sized "S" logos. Dealers order QTY 10.





Suzuki Logo Die-Cut Decals

Thermal die-cut vinyl Official Suzuki logo available in sizes from 4" to 20". Dealers order in packs of 5.

99950-19245-MED	Suzuki Logo	12"	
99950-19245-LRG	Suzuki Logo	20"	

DF4/6 '03 - Current

Side Mount Contro	ol Box	67200-94J20	
Remote Control A	ttaching Kit	67130-91J02	
Rectifier Set		32801-91J01	
Water Pump Repair Kit		17400-98661	'03 - '10
		17400-98661	'11 - Curr
Battery Charging k	(it	32000-91J01	
Receptacle		39600-91J00	
Spark Plug	BPR6ES	09482-00299	'03 - '10
Spark Plug	CPR6EA-9	09482-00L04	'11 - Curr



F-12	DF
Ann Bar	Side
	Ren
	Wat
100	Elec
district to	Batt
	Oil
	Drag
	Proj
	Spa
6	

10-93E00 '96 - '04 50-06167 2 reg'd

DF9.9/15	'96 - Curr

SUZUKI

Side Mount Control Box	67200-91J20	'05 - Curi
Remote Control Attaching Kit	67130-94J11	'05 - Curi
Remote Control Cables	99105-11002-0X	X* 2 req'd
Harness, Remote Control	36630-89E02***	'96 - '04
Main Harness	36620-94J01	'05 - Curi
Water Pump Repair Kit	17400-93951	'96 - '06
	17400-94J00	'07 - Curi
Steering Bracket Attachment	67720-93E00	
Tilt-Tube Attachment	41141-89E00	
Rectifier Set	32800-95D01	'96 - '04
	32800-94J11	'05 - Curi
Rectifier Regulator	32801-94J01	'05 - Curi
Battery Charging Kit	32000-94J01	'05 - Curi
Optional Lighting Coil Set	32120-93E10	'96 - '04

Choke Solenoid		38610-93E00	'96 - '04
Bolts		01550-06167	2 req'o
Starter Motor Set		31101-95D20-0	EP '96 - '03
		31100-94J22	'05 - Cur
Stator, 120W		32120-94J10	'06 - Cur
Flywheel, Ring Gea	r Type	32102-94J10	'05 - Cur
Propeller Hardware	Kit	57630-93900	
Drag Link Assembly		67701-93E12	'97 - Cur
		67701-94JA0	9.9T Cur
Spark Plug	DCPR6E	09482-00446	up to '04
	BKR6E	09482-00427	'04 - Cur
	CPR6-EA-9	09482-00L04	'11 - Cur
Oil Filter	DF9.9/15	16510-05240	'96 - Cur
	DF9.9T/15	16510-45H10	'11 - Cur

DF9.9B/15A/20A '12 - Current

Side Mount Contro	l Box	67200-93J13		
Single Binnacle Kit		67000-93J05		
Flush Mount Kit		67000-93J26		
Remote Control At	taching Kit	67130-95J02	DF9	.9B/15 <i>A</i>
		67130-89L04		DF20/
Remote Control Ca	bles	99105-11002-0	XX*	2req'd
Single Binnacle		67200-93J13		
Flush Mount		67200-93J32		
Wire Harness 16'		36620-93J52		
Wire Harness 21'		36620-93J02		
Wire Harness 26'		36620-93J62		
Ignition Sw. Panel	Assy.	37100-96J00	91	
Ing. Sw. Emg. Stop	/Buzzer	37100-96J24	-	-U
Warning Buzzer		38500-92X50		
Emergency Stop As	ssy.	37803-93J04		
Water Pump Repair	Kit	17400-94J00		
Drag Link Kit		67700-95J01		
Propeller Hardware	Kit	57630-93900		
Spark Plug	DCPR6E	09482-00446		





DF25/30 '06 - Current

	Side Mount Contro	l Box	67200-91J20	
	Single Binnacle Kit		67000-93J05	
	Flush Mount Kit		67000-93J26	
	Remote Control At	taching Kit	67130-95J02	
	Remote Control Ca	bles	99105-11002-0XX*	2req'o
	Single Binnacle		67200-93J13	
	Dual Binnacle		67200-93J23	
	Flush Mount		67200-93J32	
	Wire Harness 16'		36620-93J52	
	Wire Harness 21'		36620-93J02	
	Wire Harness 26'		36620-93J62	
•	Ignition Sw. Panel	Assy.	37100-96J00	
	Ing. Sw. Emg. Stop/	/Buzzer	37100-96J24	
	Warning Buzzer		38500-92X50	
	Emergency Stop As	SSY.	37803-93J04	
	Water Pump Repair	· Kit	17400-95J02	
	Drag Link Kit		67700-95J01	
	Propeller Hardware	Kit	57630-96300	
	Spark Plug	BKR6E	09482-00427	

SPECIFIC APPLICATION NOTES: * Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

** Must use with one of the following Main Hampeson: 16': 26620, 02162, 21': 26620, 21

** Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

*** Under-Hood Electric Start Harness

APPLICATION CHART

Steering Tensioner	43770-99E03
Water Pump Repair Kit	17400-88L00
Tiller Handle Kit	63002-88L07-0EP
Tiller Handle Kit with Tach	63002-88L21-0EP DF40A/50A
	63002-88L12-0EP DF60A
Drag Link Kit	67701-87J11
Propeller Hardware Kit	57630-94300
Propeller Hardware Kit	57630-90J00 DF50AV/60AV
Spark Plug DCPR6E	09482-00446







DF70A/90A	'09 - Current

67200-93J50**	
67000-93J05	
67000-93J15	
67000-93J26	
99105-11002-0XX*	2 req'
67200-93J13	
67200-93J23	
67200-93J32	
36620-93J52	
36620-93J02	
36620-93J62	
37805-93J00	
	67000-93J05 67000-93J15 67000-93J26 99105-11002-0XX* 67200-93J13 67200-93J23 67200-93J32 36620-93J52 36620-93J02 36620-93J62

Ignition Sw. Panel A	SSy.	37100-96J00	63
Dual Ign. Sw. Panel	Assy	37100-96J14	- 3
Ing. Sw. Emg. Stop/E	Buzzer	37100-96J24	1
Warning Buzzer		38500-92X50	- 5
Emergency Stop As	Sy.	37803-93J04	
Dual Engine Tie Bar		99105-10006	- 10
Water Pump Repair	Kit	17400-87L01	- 10
Tiller Handle Kit		63002-87L05-0EP	'09 - Curren
Tiller Handle Kit wit	n Tach	63002-87L13-0EP	
Drag Link Kit		67701-87L01	
Propeller Hardware	Kit	57630-90J00	
Spark Plug DCP	R6F	09482-00446	

SPECIFIC APPLICATION NOTES: * Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

** Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

*** Under-Hood Electric Start Harness



	., ,	··· ·-	o u		
Side Mount Con	trol Box	67200-	93J50**		
Single Binnacle	Kit	67000-	93J05		
Dual Binnacle Ki	t	67000-	93J15		
Flush Mount Kit		67000-	93J26		
Remote Control	Cables	99105-	11002-0X	(X* 2 req	'n
Single Binnacle		67200-	93J13		
Dual Binnacle		67200-	93J23		
Flush Mount		67200-	93J32		
Wire Harness 16	,	36620-	93J52		
Wire Harness 21	,	36620-	93J02		
Wire Harness 26	,	36620-	93J62		
Power Trim/Tilt S	Sw.	37805-	93J00		
Ignition Sw. Pan	el Assy.	37100-	96J00		
Dual Ign. Sw. Par	nel Assy	37100-	96J14		
Ing. Sw. Emg. St	op/Buzzer	37100-	96J24		
Warning Buzzer		38500-	93J00	'01 - '0)[
		38500-	92X50	'05 - Curre	n
Emergency Stop	Assy.	37803-	93J04		
Dual Engine Tie	Bar	99105-	10006		
Water Pump Rep	air Kit	17400-	90J20	'01 - '0)[
		17400-	92J00	'06 – '0)8
DF115/11	5A/140A	17400-	92J21	'09 - Curre	n
Tiller Handle Kit		63002-	90J29-0E	P	
Tiller Handle Kit	with Tach	63002-	90J32-0E	P DF115	j/
Drag Link Kit		67701-	90J01	'01 - '1	10
Propeller Hardwa	are Kit	57630-	90100		
Spark Plug	BKR6E	09482-	00427		





DF150/175 '06 - Current

Side Mount Contro	l Box	67200-93J50**	
Single Binnacle Kit		67000-93J05	
Dual Binnacle Kit		67000-93J15	
Flush Mount Kit		67000-93J26	
Remote Control Ca	bles	99105-11002-0XX*	2 req'd
Single Binnacle		67200-93J13	
Dual Binnacle		67200-93J23	
Flush Mount		67200-93J32	
Wire Harness 16'		36620-93J52	
Wire Harness 21'		36620-93J02	
Wire Harness 26'		36620-93J62	
Power Trim/Tilt Sw.		37805-93J00	
Ignition Sw. Panel	Assy.	37100-96J00	
Dual Ign. Sw. Panel	Assy	37100-96J14	
Ing. Sw. Emg. Stop	/Buzzer	37100-96J24	
Warning Buzzer		38500-92X50	
Emergency Stop As	SSY.	37803-93J04	
Water Pump Repair	Kit	17400-96J02	
Drag Link Kit		67701-96J00	
Propeller Hardware	Kit	57630-92E00	
Spark Plug	BKR6E	09482-00427	

Water Pump Repair Kit

17400-93J02

'04 - Current



DF150AP/175AP/200AP

Single Engine First Station	Kit	67000-98JE
Single Engine Second Stat	tion Kit	67000-98JF
Dual Engine First Station k	(it	67000-98J0
Dual Engine Second Statio	on Kit	67000-98JH
Triple Engine First Station	Kit	67000-98J4
Triple Engine Second Stati	ion Kit	67000-98J5
Quad Engine First Station	Kit	67000-98J7
Quad Engine Second Stati	on Kit	67000-98J8
Flush Mount Station Kit		67000-98J6
Remote Control Assembly,	, Single	67200-98J0
Remote Control Assembly,	, Multi	67200-98J1
Remote Control Assembly,	, Flush	67200-98J2
Panel Assembly, Single		37100-98J1
Panel Assembly, Dual		37100-98J2
Panel Assembly, Triple		37100-98J3
Main Power Key Switch As	sembly	37100-98J0
Panel Assembly, Emergence	cy Stop	37803-93J0
Warning Buzzer		38500-92X5
Water Pump Repair Kit		17400-96J0
Gear Case Seal Kit		25700-93J0
Drag Link Kit		67701-96J0
Propeller Hardware Kit		57630-92E0
Spark Plug	BKR6E	09482-0042
Spark Plug (DF200A)		09482-0064



SUZUKI

'08 – Current

67200-93J50**	
67000-93J05	
67000-93J15	
67000-93J26	
99105-11002-0XX*	2 req'd
67200-93J13	
67200-93J23	
67200-93J32	
36620-93J52	
36620-93J02	
36620-93J62	
	67000-93J05 67000-93J15 67000-93J26 99105-11002-0XX* 67200-93J13 67200-93J23 67200-93J32 36620-93J52 36620-93J02

Power Trim/Tilt Sw.	37805-93J00
Ignition Sw. Panel Assy.	37100-96J00
Dual Ign. Sw. Panel Assy	37100-96J14
Ing. Sw. Emg. Stop/Buzzer	37100-96J24
Warning Buzzer	38500-92X50
Emergency Stop Assy.	37803-93J04
Water Pump Repair Kit	17400-98J01
Drag Link Kit	67700-93J00
Propeller Hardware Kit	57630-92E00
Gear Case Seal Kit	25700-98J00
Spark Plug BKR6E	09482-00427

SPECIFIC APPLICATION NOTES: * Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

** Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

*** Under-Hood Electric Start Harness



DF250AP/300/300AP

Single Engine First Station	67000-98JE0	
Single Engine Second Stati	67000-98JF0	
Dual Engine First Station K	it	67000-98JG0
Dual Engine Second Statio	n Kit	67000-98JH0
Triple Engine First Station I	Kit	67000-98J49
Triple Engine Second Statio	on Kit	67000-98J59
Quad Engine First Station I	(it	67000-98J71
Quad Engine Second Statio	on Kit	67000-98J80
Flush Mount Station Kit		67000-98J69
Remote Control Assembly,	Single	67200-98J03
Remote Control Assembly,	Multi	67200-98J13
Remote Control Assembly,	Flush	67200-98J22
Panel Assembly, Single		37100-98J11
Panel Assembly, Dual		37100-98J21
Panel Assembly, Triple		37100-98J31
Main Power Key Switch Ass	sembly	37100-98J04
Panel Assembly, Emergence	y Stop	37803-93J04
Warning Buzzer Assembly		38500-92X50
Water Pump Repair Kit	250AP	17400-98J02
	300/300AP	17400-98J01
Gear Case Seal Kit		25700-98J00
Drag Link Kit		67700 -93J00
Propeller Nut Kit		57630-92E00
Spark Plug BKR6E		09482-00427

_
_
_
_
_
_
_
_
_
_
_
_
_
_
_
_